


Keeping You Safe & Dry Since 1887



JET GROUP

PROFESSIONAL PRODUCTS. PROFESSIONAL RESULTS.





STRONGARM DIONEER





www.jetgroupbrands.com

Pioneer Catalogue 2014 / 2015 Edition

TABLE OF CONTENTS

Hi-Viz Safety Apparel and Accessories SURVEYOR AND SUPERVISOR'S VESTS 4-6 SAFETY BANDS/SASHES, BADGE HOLDERS **SAFETY SHIRTS, HOODIES AND JACKETS** 8-11 **Work Apparel EUROWEAR™ WORK GEAR, KNEE PADS** COVERALLS, OVERALLS, SHOP COATS 14-19 **Flame Resistant Safety Wear FLAME RESISTANT HEADWEAR** 20-21 **FLAME RESISTANT WEAR** 23-33 **PeakWorks Fall Protection FALL PROTECTION** Work Apparel (cont'd) RAINWEAR 40-48 PVC RAINWEAR, POLYESTER/PVC RAINWEAR 49-51 RECREATION OUTERWEAR, SPORT RAINWEAR 52-53 WORK SHIRTS AND HOODIES, SHERPA FLEECE, UNDERWEAR, ATV WEAR 54-56 WINTER HEADWEAR, BALL CAPS 57-59 Footwear **FOOTWEAR** 60-63 Gloves **GLOVES** 64-73 **Non-Apparel Safety Products**

TRAFFIC AND FLOOR SAFETY, RESPIRATORS, DISPLAYS



74-77









SURVEYOR'S/SUPERVISOR'S VEST 695 (V1010710) RED

- 600 Denier oxford polyester, PU coated
- 3M[®] Scotchlite[®] reflective tape
- Radiophone pocket on chest
- 12 storage pockets
- Back ruler slot
- 2 large back pack pockets
- D ring access slot
- Sizes: S-5XL

CSA SURVEYOR'S/SUPERVISOR'S VEST

694 (V1010610) RED

- **694BK (V1010670) BLACK**Tough 10 oz (350 gsm) cotton duck
- CSA Z96-09 Class 1 Level 2
- 3M[®] Scotchlite[®] reflective tape
- Radiophone pocket on chest
- 10 storage pockets
- 5 pen/marker slots
- Back ruler slot

- 2 large back pack pockets
- 2 radiophone clip straps
- D ring access slot
- Sizes: S-5XL

CSA SURVEYOR'S/ SUPERVISOR'S VEST

693 (V1010510) RED

- 600 Denier oxford polyester, PU coated
- CSA Z96-09 Class 1 Level 2
- 3M[®] Scotchlite[®] reflective tape
- Radiophone pocket on chest
- 10 storage pockets
- 5 pen/marker slots
- Back ruler slot
- 2 large back pack pockets
- 2 radiophone clip straps
- D ring access slot
- Sizes: S-5XL



FOR FR SAFETY VESTS, SEE PAGE 30



HI-VIZ SURVEYOR'S SAFETY VEST 6697 (V1010350) HI-VIZ ORANGE 6696 (V1010340) HI-VIZ YELLOW/GREEN

- 600 Denier oxford polyester, PU coated
- CSA Z96-09 Class 2 Level 2
- 3M[®] Scotchlite[®] reflective tape
- Radiophone pocket on chest
- 12 storage pockets
- Back ruler slot
- 2 large back pack pockets
- Radiophone clip strap
- D ring access slot
- Sizes: S-4XL

HI-VIZ SURVEYOR'S SAFETY VEST

6692 (V1010150) HI-VIZ ORANGE 6693 (V1010140) HI-VIZ YELLOW/GREEN

- 150 Denier woven twill polyester
- CSA Z96-09 Class 2 Level 2
- StarTech™ reflective tape
- Brass snap front closure
- Radiophone pocket on chest
- 2 radiophone clip strapsCooling underarm mesh vents
- Back ruler storage slot

- Large back pack pouch with zipper access
- 4 front pockets with brass surveyor tape dispenser grommets
- 5 pen pockets
- 7 other all-purpose storage pockets
- D ring access slot
- Sizes: S-4XL





HI-VIZ SAFETY TEAR-AWAY VEST

6930 (V1020951) HI-VIZ ORANGE 6931 (V1021061)

HI-VIZ YELLOW/GREEN

- Tricot polyester interlock
- CSA Z96-09 Class 2 Level 2
- StarTech™ reflective tape
- ID pocket
- 5 point tear-away
- 4 sealed pockets
- Radiophone clip strap
- D ring access slot
- Adjustable 1 size up at front
- 4 Sizes: S/M, L/XL, 2XL/3XL, 4XL/5XL



HI-VIZ SAFETY VEST

134 (V1020160) HI-VIZ ORANGE 131 (V1020250) HI-VIZ YELLOW/GREEN 135 (V1021570) BLACK

- Tricot polyester interlock
- 131/134 CSA Z96-09 Class 2 Level 2
- 135 CSA Z96-09 Class 1 Level 2
- 3M® Scotchlite® reflective tape
- ID pocket with pen holders
- 3 storage pockets, cell phone pocket
- 2 radiophone clip straps
- Adjustable 1 size up at sides
- 4 Sizes: S/M, L/XL, 2XL/3XL, 4XL/5XL



HI-VIZ TRAFFIC VEST

6913 (V1020550) HI-VIZ ORANGE 6919 (V1020660) HI-VIZ YELLOW/GREEN

- Polyester mesh
- CSA Z96-02 Class 2 Level 2
- 3M® Scotchlite® reflective tape
- 5 point tear-away
- 4 storage pockets
- Pen holder slot
- 2 radiophone clip straps
- ID pocket
- D ring access slot
- Size: Fit-All



HI-VIZ TRAFFIC VEST

6926 (V1020750) HI-VIZ ORANGE 6927 (V1020810) HI-VIZ YELLOW/GREEN

- Polyester mesh
- CSA Z96-02 Class 2 Level 2
- StarTech™ reflective tape
- 5 point tear-away
- 4 storage pockets
- D ring access slotSize: Fit-All




FOR FR SAFETY VESTS, SEE PAGE 30

HI-VIZ SAFETY TEAR-AWAY MESH BACK VEST

6935 (V1021150) HI-VIZ ORANGE 6936 (V1021260) HI-VIZ YELLOW/GREEN 6937 (V1021170) BLACK

- Tricot polyester interlock front
- Full mesh back panel
- Zipper front with tear-away on left side
- 6935/6936 CSA Z96-09 Class 2 Level 2

- 6937 CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- 5 point tear-away
- 4 sealed pockets
- 2 radiophone clip straps
- D ring access slot
- Sizes: XS-5XL









HI-VIZ SAFETY TEAR-AWAY VEST 6932 (V1021450) HI-VIZ ORANGE 6933 (V1021560) HI-VIZ YELLOW/GREEN

- Polyester mesh
- CSA Z96-09 Class 2 Level 2
- StarTech™ reflective tape
- ID pocket
- 5 point tear-away
- 4 sealed pockets
- Radiophone clip strap
- D ring access slot
- Adjustable 1 size up at front
- 4 Sizes: S/M, L/XL, 2XL/3XL, 4XL/5XL



HI-VIZ ALL-PURPOSE VEST

145 (V1030150) HI-VIZ ORANGE

- Polyester mesh
- Yellow PVC reflective tape
- 5 point tear-away
- ID and pen pockets
- 3 storage pockets
- Radiophone clip strap
- D ring access slot
- Size: Fit-All



HI-VIZ WOMEN'S SAFETY VEST

136 (V1021850) HI-VIZ ORANGE 139 (V1021860) HI-VIZ YELLOW/GREEN 139BK (V1021870) BLACK

- Tricot polyester interlock
- 136/139 CSA Z96-09 Class 2 Level 2
- 139BK CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- ID pocket with pen holders
- Full zipper front
- Storage, cell phone and inside pockets
- Radiophone clip strap
- Designed for women with a tapered waist and flared bottom
- Women's Sizes: XS-2XL





HI-VIZ ALL-PURPOSE VEST 589 (V1030250) HI-VIZ ORANGE 592 (V1030350) HI-VIZ ORANGE

- Coated polyester mesh
- Yellow PVC reflective tape
- 589 3 point tear-away
- 592 5 point tear-away
- Size: Fit-All



HI-VIZ ALL-PURPOSE VEST 596 (V1030410) HI-VIZ ORANGE

- Coated polyester mesh
- CSA Z96-02 Class 1 Level 2
- StarTech™ reflective tape
- 5 point tear-away
- Size: Fit-All



HI-VIZ REVERSIBLE FLEECE LINED VEST

6698 (V1020350) HI-VIZ ORANGE 6699 (V1020460) HI-VIZ YELLOW/GREEN

- 300 Denier oxford polyester
- CSA Z96-09 Class 2 Level 2
- 3M[®] Scotchlite[®] reflective tape
- Reversible to become a black fleece vest
- Long back weather-protective tail
- Radiophone clip strap
- Full front reversible zipper
- Invisible embroidery access zipper
- 2 zipper pockets and 2 slash pockets
- Sizes: S-3XL









BADGE HOLDER

144 (V1040570) TRANSPARENT

- Individually packaged
- Holds identification card or badge
- Attaches easily over any chest radiophone strap
- 3.5" wide x 4" long

ADJUSTABLE REFLECTIVE BAND

140 (V1040150) HI-VIZ ORANGE 141 (V1040160) HI-VIZ YELLOW/GREEN 142 (V1040250) HI-VIZ ORANGE 143 (V1040260) HI-VIZ YELLOW/GREEN

- 140/141 Arm band, 14" x 4"
- 142/143 Ankle band, 18" x 4"
- StarTech™ reflective tape
- Size: Fit-All

HI-VIZ SAFETY SASH

5590 (V1040560) HI-VIZ YELLOW/GREEN

- Premium 4" elastic waist
- CSA Z96-09 Class 1 Level 2
- 3M® Scotchlite® reflective tape
- Storage pocket on left strap
- 2 point tear-away
- Size: Fit-All



HI-VIZ SAFETY SASH

5591 (V1040850) HI-VIZ ORANGE 5592 (V1040860) HI-VIZ YELLOW/GREEN

- Premium 2" elastic
- Adjustable elastic waist band and chest straps
- 3M[®] Scotchlite[®] reflective tape
- 4 point tear-away
- Quick-release waist buckle
- Size: Fit-All



HI-VIZ SAFETY SASH/HARNESS

5593 (V1040950) HI-VIZ ORANGE

- 100% polyester
- PVC yellow reflective tape
- Storage pocket on left strap
- Adjustable elastic waist and chest bands
- Size: Fit-All





HI-VIZ TRAFFIC T-SHIRT

5992 (V1050150) HI-VIZ ORANGE 5993 (V1050260) HI-VIZ YELLOW/GREEN

- Polyester mesh
- CSA Z96-09 Class 2 Level 2
- StarTech™ reflective tape
- Radiophone clip strap
- Sizes: S-3XL



HI-VIZ TRAFFIC T-SHIRT

5994 (V1050350) HI-VIZ ORANGE 5997 (V1050360) HI-VIZ YELLOW/GREEN

- Polyester mesh
- CSA Z96-09 Class 2 Level 2
- StarTech™ reflective tape
- Radiophone clip strap
- Chest pocket
- Comfortable rib knit collar
- 5994 Sizes: S-5XL
- 5997 Sizes: XS-5XL



HI-VIZ TRAFFIC MICRO MESH T-SHIRT

6979 (V1050650) HI-VIZ ORANGE 6989 (V1050660) HI-VIZ YELLOW/GREEN

- Micro mesh quick-dry
- CSA Z96-09 Class 2 Level 2
- 3M[®] Scotchlite[®] reflective tape
- Radiophone clip strap
- Chest pocket
- Sizes: S-5XL



COTTON SAFETY T-SHIRT

6978 (V1050550) ORANGE 6980 (V1050560) YELLOW/GREEN 6976 (V1050570) BLACK

- 100% cotton jersey knit
- Self fabric crew neck
- CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- Reflective arm patch on each sleeve
- Radiophone clip strap
- Chest pocket
- Sizes: S-4XL



COTTON LONG-SLEEVED SAFETY SHIRT

6981 (V1050850) ORANGE 6982 (V1050860) YELLOW/GREEN

- 100% cotton jersey knit
- Self fabric crew neck
- CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- Radiophone clip strap
- Chest pocket
- Sizes: S-4XL



HI-VIZ TRAFFIC MICRO MESH LONG-SLEEVED SAFETY SHIRT

6984 (V1050950) HI-VIZ ORANGE 6985 (V1050960) HI-VIZ YELLOW/GREEN

- Micro mesh quick-dry
- CSA Z96-09 Class 2 Level 2
- 3M[®] Scotchlite[®] reflective tape
- Radiophone clip strap
- Chest pocket
- Sizes: S-5XL



Birdseye Safety Shirts



BIRDSEYE SAFETY T-SHIRT

6990 (V1051150) HI-VIZ ORANGE 6991 (V1051160) HI-VIZ YELLOW/GREEN 6992 (V1051170) BLACK



BIRDSEYE SAFETY POLO SHIRT

6986 (V1051350) HI-VIZ ORANGE 6987 (V1051360) HI-VIZ YELLOW/GREEN 6988 (V1051370) BLACK



WOMEN'S BIRDSEYE SAFETY POLO SHIRT

6999 (V1051510) PINK

Common Features:

- Soft premium birdseye moisture-wicking polyester
- 6990/6991/6995/6996/6986/6987/6993/6994 CSA Z96-09 Class 2 Level 2
- 6992/6997/6988/6998/6999 CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- Rib crew neck (non polo models)
- Rib polo collar with contrast stripes (polo models)
- Chest pocket with hook and loop closure
- Radiophone clip strap (non polo models)
- 6990/6991/6992/6995/6996/6997/6987/6994 Sizes: XS-5X
- 6986/6988/6993/6998 Sizes: S-5XL
- 6999 Women's Sizes: XS-3XL



BIRDSEYE LONG-SLEEVED SAFETY SHIRT

6995 (V1051250) HI-VIZ ORANGE 6996 (V1051260) HI-VIZ YELLOW/GREEN 6997 (V1051270) BLACK



BIRDSEYE LONG-SLEEVED SAFETY POLO SHIRT

6993 (V1051450) HI-VIZ ORANGE 6994 (V1051460) HI-VIZ YELLOW/GREEN 6998 (V1051470) BLACK



HI-VIZ POLYESTER FLEECE HOODIE

6924 (V1060350) HI-VIZ ORANGE 6925 (V1060460) HI-VIZ YELLOW/GREEN 6925BK (V1060471) BLACK

- Premium 10.5 oz (360 gsm) polyester fleece
- 6924/6925 CSA Z96-09 Class 2 Level 2 (Class 3 when worn with 5576/5586 or 5578/5588)
- 6925BK CSA Z96-09 Class 1 Level 2
- 3M® Scotchlite® reflective tape
- Zips into inner zipper on 5575A/5585A or 5574A/5584A to make 3-in-1 jacket (optional, sold separately)
- Detachable drawstring hood
- Elastic cuffs and hem
- 2 front slash pockets
- Full front zipper
- 2 radiophone clip straps
- 6924/6925BK Sizes: S-5XL
- 6925 Sizes: XS-5XL



HI-VIZ MICRO FLEECE ZIP HOODIE

6940 (V1060550) HI-VIZ ORANGE 6941 (V1060560) HI-VIZ YELLOW/GREEN 6942 (V1060570) BLACK

- 7 oz (240 gsm) micro fleece
- 4-way comfort stretch
- 6940/6941 CSA Z96-09 Class 2 Level 2
- 6942 CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- Full front zipper

- Detachable drawstring hood
- Elastic cuffs and hem
- 2 radiophone clip straps
- 6941 Sizes: XS-5XL



HI-VIZ POLYESTER FLEECE BOA LINED HOODIE

6920 (V1060150) HI-VIZ ORANGE 6921 (V1060260) HI-VIZ YELLOW/GREEN 6921BK (V1060270) BLACK

- Premium polyester fleece with warm laminated boa inner lining
- 6920/6921 CSA Z96-09 Class 2 Level 2
- 6921BK CSA Z96-09 Class 1 Level 2
- 3M[®] Scotchlite[®] reflective tape
- Adjustable hem and hood
- Radiophone clip strap
- 2 front slash pockets
- Full front zipper
- Sizes: S-4XL





HI-VIZ QUILTED FREEZER JACKET

5015 (V1170150) HI-VIZ ORANGE 5016 (V1170160) HI-VIZ YELLOW/GREEN 5017 (V1170170) BLACK

- Woven diamond quilted polyester with 3.5 oz (120 gsm) insulation
- 3M[®] Scotchlite[®] reflective tape, double-sewn for strength
- 5015/5016 CSA Z96-09 Class 2 Level 2
- 5017 CSA Z96-09 Class 1 Level 2
- Rib knit gusseted action back for working comfort
- Rib knit cuffs
- 2 front slash pockets
- 3 inside storage pockets: 2 lower, 1 chest cell phone
- Black micro fleece comfort collar
- 5015/5017 Sizes: S-5XL
- 5016 Sizes: XS-5XL



HI-VIZ SOFT SHELL SAFETY JACKET

5579 (V1100150) HI-VIZ ORANGE 5589 (V1100160) HI-VIZ YELLOW/GREEN

- Premium, multi-layer, 4-way 10 oz (350 gsm) soft shell stretch fabric
- CSA Z96-09 Class 2 Level 2
- 3M[®] Scotchlite[®] reflective tape
- Water-resistant and breathable
- Detachable hood
- Comfort fleece collar
- 2 zip front pockets
- Adjustable hem and wrists
- Sizes: S-3XL

Premium Stretch Soft Shell





EuroWear™ Gear

Common Features – 7000/7005/7015:

- Heavy-duty, 65% polyester 35% cotton, 10 oz (340 gsm) canvas
- Key seams triple-sewn for maximum strength
- Knee pouches for inserting knee pads 160 & 162 (sold separately)
- Pen and knife slots



EUROWEAR™ WORK JACKET 7010 (V2040370) BLACK

- Heavy-duty, 65% polyester 35% cotton, 10 oz (340 gsm) canvas
- Key seams triple-sewn for maximum strength
- YKK brass front zipper
- Cell phone pocket
- 4 tool and storage pockets
- Comfortable action back
- Brass snap adjustable wrists
- Waist adjustor tabs
- Sizes: S-3XL



EUROWEAR™ COVERALL 7000 (V2040170) BLACK

- Cordura®-reinforced knees and ankles
- YKK brass front zipper
- Cell phone pocket
- 10 tool and storage pockets
- Comfortable action back
- Brass snap adjustable wrists
- Waist adjustor tabs
- Sizes: 36-54



EUROWEAR™ BIB OVERALL

7005 (V2040270) BLACK

- Cordura®-reinforced knees and ankles
- YKK brass fly access zipper
- Cell phone pocket
- 9 tool and storage pockets
- Comfortable elastic waist with button adjustment
- Suspenders with quick-release buckle and elastic panel
- Waist adjustor tabs
- Sizes: 36-54



EUROWEAR™ WORK PANT

7015 (V2040470) BLACK

- Cordura®-reinforced knees and ankles
- YKK brass fly access zipper
- 8 tool and storage pockets
- Hammer loop
- Extra-wide belt loops
- Sizes: see size chart below



Cordura®-reinforced knees and ankles

	WAIST								
		30	32	34	36	38	40	42	44
LENGTH	30								
LEN	32								
	34								



PROFESSIONAL GEL KNEE PAD

165 (V2050370) BLACK Pair

- Flexible silicone gel pad memory insert for superior working comfort
- Meets EN 14404:2004+A1 Type 1 standard for knee protection
- Industrial strength PVC limited slip cap for long-wearing protection
- Thick memory foam for extra support
- Water-resistant oxford polyester outer material
- Breathable, adjustable Neoprene strap for comfortable all-day wear
- Size: Fit-All



Strap-on knee pads #165, 167, 168, 169 all packed in full colour display boxes









BREATHABLE AIR VENTED PROFESSIONAL GEL KNEE PAD

168 (V2050570) BLACK *Pair* 169 (V2050670) BLACK *Pair*

- Durable 600 Denier ripstop polyester with multi-layer breathable fabric panels to keep you cool all day
- Breathable Neoprene lower strap for comfort
- Elastic upper strap with quick-release clip provides secure fit
- Gel cushion with 10 mm EVA padding provides comfortable protection
- Durable PVC hard shell cap shields the knee from hazards
- 168 Adjustable, Fits XS to M
- 169 Adjustable, Fits L to 4XL

INSERT STYLE KNEE PAD 160 (V2050170) BLACK Pair

- Ergonomic design
- Comfortable, lightweight kneeling protection
- Fits all insert style knee pad garments
- 100% polyethylene
- Hang carded
- Size: Fit-All

HEAVY-DUTY PROFESSIONAL GEL KNEE PAD

167 (V2050470) BLACK Pair

- Tough 1680 Denier ballistic polyester resists tears and punctures
- Breathable Neoprene lower strap for all-day comfort
- Second quick clip-on strap for secure positioning
- Gel centre distributes weight evenly
- 16 mm EVA foam provides extra comfort
- Oversize PVC hard shell cap for extra protection and prevention of rollover
- Size: Fit-All



162 (V2050270) BLACK Pair

- Tough heavy-duty design
- Comfortable kneeling protection
- Fits all insert style knee pad garments
- 100% polyethylene
- Hang carded
- Size: Fit-All







COTTON COVERALL WITH BUTTONS

5133 (V2010110) BLUE/NAVY TRIM 5133T (V201011T) BLUE/NAVY TRIM

- 100% preshrunk 8 oz (270 gsm) cotton
- Brass button closure
- Adjustable snap wrists
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Action back and elastic waist
- 5133 Sizes: 36-60
- 5133T Tall Sizes: 40-60



POLY/COTTON COVERALL

515 (V2020380) NAVY 515T (V202038T) NAVY

- 7 oz (230 gsm) poly/cotton
- 2-way brass zipper closure
- Adjustable snap wrists
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Action back and elastic waist
- 515 Sizes: 36-60
- 515T Tall Sizes: 40-60



5134 (V2010380) NAVY 5134T (V201038T) NAVY

- 100% preshrunk 8.5 oz (290 gsm) cotton
- Heavy-duty cotton twill material suitable for industrial wash
- Brass button closure
- Adjustable snap wrists
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- Pen slot pockets on chest and arm
- 2 pass-through pockets
- Action back and reinforced waist
- 5134 Sizes: 36-60
- 5134T Tall Sizes: 40-60



SAFETY POLY/COTTON COVERALL

5516 (V2020580) NAVY 5516T (V202058T) NAVY 5514 (V2020510) ORANGE 5514T (V202051T) ORANGE

- 7 oz (230 gsm) poly/cotton
- CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- 2-way heavy-duty brass zipper closure
- Adjustable snap wrists
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Action back and elastic waist
- 5516/5514 Sizes: 36-60
- 5516T/5514T Tall Sizes: 40-60



SAFETY POLY/COTTON OVERALL

6615 (V2030180) NAVY 6615T (V203018T) NAVY 6617 (V2030110) ORANGE 6617T (V203011T) ORANGE

- 7 oz (230 gsm) poly/cotton
- CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- 2-way heavy-duty brass zipper closure
- Adjustable elastic suspenders
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Hammer loop
- 6615/6617 Sizes: 36-60
- 6615T/6617T Tall Sizes: 40-60








Safety Poly/Cotton Coveralls and Overalls


HI-VIZ SAFETY POLY/COTTON COVERALL

5518 (V1160150) HI-VIZ ORANGE 5518T (V116015T) HI-VIZ ORANGE 5519 (V1160160) HI-VIZ YELLOW/GREEN 5519T (V116016T) HI-VIZ YELLOW/GREEN 5519BK (V1160170) BLACK 5519BKT (V116017T) BLACK

- 5518/5518T/5519/5519T 7.5 oz (260 gsm) hi-viz fluorescent 65% polyester 35% cotton twill fabric, water-repellent
- 5519BK/5519BKT 7 oz (240 gsm) poly/cotton TC
- Hi-tech comfortable weave of cotton on the inside and polyester on the outside
- 5518/5518T/5519/5519T CSA Z96-09 Class 3 Level 2
- 5519BK/5519BKT CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape

- SBS brass 2-way zipper front closure
- 18" brass 2-way boot zippers/leg vents
- Elastic waist and action back, wrist snaps
- Chest pockets with radiophone clip straps
- Side pocket with double bottom pocket back
- 4 pockets: 2 pass-through, 2 rear
- 5518 Reg. & Tall Sizes: S-5XL
- 5519/5519BK Reg. & Tall Sizes: XS-5XL





HI-VIZ SAFETY POLY/COTTON OVERALL

6618 (V1160250) HI-VIZ ORANGE 6619 (V1160260) HI-VIZ YELLOW/GREEN 6619BK (V1160270) BLACK

- 6618/6619 7.5 oz (260 gsm) hi-viz fluorescent 65% polyester 35% cotton twill fabric, water-repellent
- 6619BK 7 oz (240 gsm) poly/cotton TC
- Hi-tech comfortable weave of cotton on the inside and polyester on the outside
- 6618/6619 CSA Z96-09 Class 2 Level 2 (Class 3 when worn with a Class 2 safety shirt, e.g. 6995)
- 6619BK CSA Z96-09 Class 1 Level 2

- StarTech™ reflective tape
- SBS brass 2-way zipper front closure
- 18" brass 2-way boot zippers/leg vents
- Side pocket with double bottom pocket back
- 6 pockets: 2 chest, 2 pass-through, 2 rearElastic suspenders
- Hammer loop
- 6618 Sizes: S-5XL
- 6619/6619BK Sizes: XS-5XL









HI-VIZ TRAFFIC COVERALL

6001 (V1070150) HI-VIZ ORANGE 5999A (V1070161) HI-VIZ YELLOW/GREEN 6003 (V1070180) NAVY (non-traffic)

- Polyester knit
- 6001/5999A CSA Z96-09 Class 3 Level 2
- 6003 CSA Z96-09 Class 1 Level 2
- 3M[®] Scotchlite[®] reflective tape
- Mesh ventilation panels on upper arms and legs
- 2-way brass zipper closure
- 2-way 28" leg zippers for ventilation and easy boot access
- Adjustable snap wrists
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- Hammer loop
- 2 pass-through pockets
- Elastic waist
- Sizes: XS-5XL



HI-VIZ TRAFFIC OVERALL

6002 (V1070450) HI-VIZ ORANGE 6000 (V1070460) HI-VIZ YELLOW/GREEN 6004 (V1070480) NAVY (non-traffic)

- Polyester knit
- 6002/6000 CSA Z96-09 Class 2 Level 2 (Class 3 when worn with 6001J/5999J)
- 6004 CSA Z96-09 Class 1 Level 2
- 3M[®] Scotchlite[®] reflective tape
- Mesh ventilation panels on upper legs
- 2-way brass zipper closure
- 2-way 28" leg zippers for ventilation and easy hoot access
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- Hammer loop
- 2 pass-through pockets
- Elastic waist and suspenders
- Sizes: XS-4XL



Mesh Ventilated Traffic Wear






HI-VIZ TRAFFIC JACKET

6001J (V1070250) HI-VIZ ORANGE 5999J (V1070260) HI-VIZ YELLOW/GREEN 6003J (V1070280) NAVY (non-traffic)

- Polyester knit
- 6001J/5999J CSA Z96-09 Class 2 Level 2 (Class 3 when worn with 6001P/5999P or 6002/6000)
- 6003J CSA Z96-09 Class 1 Level 2
- 3M[®] Scotchlite[®] reflective tape
- Mesh ventilation panels on upper arms
- 2-way brass zipper closure
- Adjustable snap wrists
- 5 storage pockets: 2 chest, 2 front slash, 1 cell phone
- Sizes: XS-5XL





HI-VIZ TRAFFIC PANT

6001P (V1070350) HI-VIZ ORANGE 5999P (V1070360) HI-VIZ YELLOW/GREEN 6003P (V1070380) NAVY (non-traffic)

- Polyester knit
- 6001P/5999P CSA Z96-09 Class 3 Level 2 when worn with 6001J/5999J
- 3M® Scotchlite® reflective tape
- Mesh ventilation panels on upper legs
- Brass zipper fly access
- 2-way 28" leg zippers for ventilation and easy boot access
- 5 storage pockets: 2 side, 2 back, 1 tool
- Elastic waist with drawstring
- Sizes: XS-4XL



QUILTED COTTON DUCK SAFETY PARKA

5535 (V2060380) NAVY 5535BK (V2060370) BLACK 5537 (V2060350) ORANGE

- 100% cotton duck canvas, 10.5 oz (350 gsm) with 6.5 oz (220 gsm) poly filling
- CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- Brass zipper plus snap closure storm flap
- 5 storage pockets: 4 front, 1 inside chest
- Drawstring waist and storm cuffs
- Button-on drawstring hood
- 5535/5537 Sizes: S-4XL
- 5535BK Sizes: XS-4XL



QUILTED COTTON DUCK SAFETY OVERALL

5536 (V2060580) NAVY 5536BK (V2060570) BLACK 5538 (V2060550) ORANGE

- 100% cotton duck canvas, 10.5 oz (350 gsm) with 6.5 oz (220 gsm) poly filling
- CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- 2-way brass zipper closure
- Adjustable elastic suspenders
- 4 storage pockets: 2 front, 2 back
- Elastic foot straps
- Hip-to-ankle brass zipper on each side
- Hammer loop
- Reinforced knees
- 5536 Sizes: S-4XL
- 5536BK/5538 Sizes: XS-4XL





QUILTED COTTON DUCK SAFETY COVERALL

5539 (V2060980) NAVY 5539BK (V2060970) BLACK 5540 (V2060950) ORANGE

- 100% cotton duck canvas, 10.5 oz (350 gsm) with 6.5 oz (220 gsm) poly filling
- CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- 2-way brass zipper closure
- 6 storage pockets: 2 back, 2 chest, 2 front
- Elastic waist, foot straps and wrists
- Hip-to-ankle brass zipper on each side
- Split hood with zipper and drawstring
- Hammer loop
- Sizes: S-4XL





QUILTED COTTON DUCK COVERALL

520 (V2060170) BLACK

- 100% cotton duck canvas, 10.5 oz (350 gsm) with 6.5 oz (220 gsm) poly filling
- 2-way brass zipper closure
- 6 storage pockets: 2 back, 2 chest, 2 front
- Elastic waist, foot straps and wrists
- Hip-to-ankle zipper on each side
- Split hood with zipper and drawstring
- Hammer loop
- Sizes: S-4XL

SHOP COAT

512 (V2020180) NAVY

- 7.5 oz poly/cotton (255 gsm)
- Sanforized for shrinkage of less than 1%
- Permanent-press and wrinkle-free
- Action back
- Snap front covered by placket
- 2 large front pockets
- Chest pocket with pen slot
- Bartacked pockets
- Sizes: S-5XL











564A (V4510870) BLACK

- 100% FR treated 5 oz (170 gsm) woven cotton shell
- Shell fabric meets CGSB 155.20, 2000
- FR treated brushed cotton lining
- No mouthpiece
- Helmet secure straps
- Size: Fit-All





FR QUILTED HARD HAT LINER

566A (V4511070) BLACK

- 100% FR treated 5 oz (170 gsm) woven cotton shell
- Shell fabric meets CGSB 155.20, 2000
- FR treated brushed cotton lining
- Detachable mouthpiece
- Helmet secure straps
- Size: Fit-All





FR QUILTED LONG NECK HARD HAT LINER

565A (V4510970) BLACK

- 100% FR treated 5 oz (170 gsm) woven cotton shell
- Shell fabric meets CGSB 155.20, 2000
- FR treated brushed cotton lining
- Long neck with detachable mouthpiece
- Helmet secure straps
- Size: Fit-All

FOR MORE HEADWEAR, SEE PAGES 57 - 59





HEAVY-DUTY FR QUILTED LONG NECK HARD HAT LINER

5565A (V4512070) BLACK

- 100% FR treated 5 oz (170 gsm) woven cotton shell
- Shell fabric meets CGSB 155.20, 2000
- FR treated brushed cotton lining
- Long neck with detachable mouthpiece
- Helmet secure straps
- Size: Fit-All





NOMEX® TOQUE

C200 (V4520270) BLACK

- Nomex® III A life-long flame resistant
- Size: Fit-All



NOMEX® BEANIE

C201 (V4520370) BLACK

- Nomex® III A life-long flame resistant
- Tight-knit for best fit
- Size: Fit-All





NOMEX® NECK WARMER/WINDGUARD

C207BK (V4520570) premium BLACK C207 (V4520510) NATURAL

- C207BK Nomex® III A life-long flame resistant
- C207 Nomex® life-long flame resistant
- Size: Fit-All





NOMEX® BALACLAVA

C202 (V4520470) BLACK

- Nomex® III A life-long flame resistant
- 3 holes
- Size: Fit-All





NOMEX® BALACLAVA

666 (V4520170) BLACK

- Nomex® III A life-long flame resistant
- 1 hole
- Size: Fit-All





NOMEX® LIGHT-KNIT BALACLAVA

C215 (V4520970) BLACK

■ Nomex® III A life-long flame resistant

- 1 hole
- Size: Fit-All





NOMEX® MEDIUM-KNIT BALACLAVA C214BK (V4520770) premium BLACK

C214 (V4520710) WHITE

- C214BK Nomex® III A life-long flame resistant
- C214 Nomex® life-long flame resistant
- 1 hole
- 4-piece cape/hood design
- Size: Fit-All





and arc flash protection

NEW FROM PIONEER

FlameTech[™] premium materials have been developed by Pioneer to provide superior flame resistance and arc flash protection, and are designed especially for the needs of Canadian workers.

Features include:

- FR woven blend of 88% premium cotton and 12% nylon
- Combines the softness, breathability and comfort of cotton with the durability, strength and abrasion resistance of nylon
- Retains strength, FR and arc flash properties even after more than 100 washes
- Tested in Canadian labs to meet Canadian flame resistance and arc flash standards

What is TPP?

TPP (Thermal Protective Performance): Fabrics are tested with thermal energy to determine the level of energy needed to cause a seconddegree burn injury. To pass CGSB 155.20-2000 standards, a single-layer garment must have a minimum TPP value of 6. The higher the TPP value, the better the protection.

What are HRC and ATPV?

HRC (Hazard/Risk Category) is a rating indicating the electric arc resistance of a garment. The material is tested to determine the ATPV (Arc Thermal Protective Value), which is the incident energy on a material or several layers of material

HRC	ATPV
Class 1	Min. 4 cal/cm ²
Class 2	Min. 8 cal/cm ²
Class 3	Min. 25 cal/cm ²
Class 4	Min. 40 cal/cm ²

resulting in a 50% chance of sufficient heat passing through said material(s) to cause a second-degree burn. The chart above shows the ATPV level required for each HRC class level.

Other FR Standards:

ASTM F1506-10a – Standard Performance Specification for Textile Material for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards. Testing includes flame resistance (25 washes), arc rating, tear resistance, breaking strength, seam slippage, colourfastness, and laundering shrinkage.

NFPA 2112 – Standard on Flame Resistant Garments for Protection of Industrial Personnel Against Flash Fire. Specifies the minimum design, performance, certification and testing requirements for flame-resistant fabric and garments for use in areas at risk from flash fires. Testing includes flame resistance (100 washes), heat transfer performance, heat resistance, thermal shrinkage, flash fire resistance, tensile strength, tearing strength, laundering shrinkage and colourfastness.

Understanding FR Standard CGSB 155.20-2000

CAN/CGSB 155.20-2000 - Workwear for Protection Against Hydrocarbon Flash Fire. States the minimum requirements for performance of workwear worn for protection against unplanned exposure to hydrocarbon flash fire. Testing includes flame resistance (fabrics tested before and after wash/dry cycles), Thermal Protective Performance (TPP), heat resistance, and thermal shrinkage resistance. All components of the garments must meet required CGSB155.20-2000 standards, not only the outer shell material.

The standard categorizes FR garments into 3 different types:

thermal shrinkage of no

more than 10%

•	•	
TYPE 1 – Single- Layer Garments	TYPE 2 – Multilayer Garments	TYPE 3 – Disposable Garments
Pioneer example:	Pioneer example:	Pioneer example:
5558A COVERALL Protective garment constructed from a single fabric.	5522A WINTER PARKA Protective garment consisting of outer shell fabric and inner lining fabric, and/or insulation material.	578 RAIN SUIT
Requirements include flame resistance before and after 50 washes, Thermal Protective Performance value of 6 or greater, heat resistance to 260°C, and	Requirements include flame resistance before and after washing, Thermal Protective Performance (TPP) value of 5 or greater, heat resistance to 260°C,	Must meet flame resistance criteria before washing and should be worn over another approved FR garment. Exempt from all other requirements.

and thermal shrinkage of


no more than 10%.



Premium Full-Featured NEW! 88/12 Flame/Arc-Resistant Gear







7700 (V2540180) ROYAL 7700T (V254018T) ROYAL 7701 (V2540150) ORANGE

7701T (V254015T) ORANGE

- FlameTech™ 88% premium cotton blended with 12% nylon, 10 oz (340 gsm)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 9.0 /contact test 5.4
- CSA Z96-09 Class 1 Level 2
- Meets ASTM F1506-10a
- ATPV 12.4 (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- Gas detection mesh front pocket
- 2-way FR brass zipper closure
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable wrists and ankles
- Action back and elastic waist
- Sizes: 36-66
- Tall Sizes: 40-66



FLAME RESISTANT 88% COTTON 12% NYLON SAFETY OVERALL

7710 (V2540280) ROYAL 7710T (V254028T) ROYAL 7711 (V2540250) ORANGE 7711T (V254025T) ORANGE

- FlameTech™ 88% premium cotton blended with 12% nylon, 10 oz (340 gsm)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 9.0 /contact test 5.4
- CSA Z96-09 Class 1 Level 2
- Meets ASTM F1506-10a
- ATPV 12.4 (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- Gas detection mesh front pocket
- 2-way FR brass zipper closure
- Adjustable elastic suspenders
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Sizes: S-5XL
- Tall Sizes: S-5XL





FLAME RESISTANT COTTON SAFETY JACKET

5554 (V2550110) ROYAL 5553 (V2550150) ORANGE

- 100% cotton, FR treated, 10 oz (340 gsm)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP)
 value: with the spacer 11 / contact test 8.2
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a

- ATPV 9.5 cal/cm² (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- Brass zipper plus snap closure storm flap
- 4 storage pockets: 2 chest, 2 front
- Sizes: S-5XL



FLAME RESISTANT COTTON SAFETY OVERALL

5566 (V2550210) ROYAL 5573 (V2550250) ORANGE

- 100% cotton, FR treated, 10 oz (340 gsm)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP)
 value: with the spacer 11 / contact test 8.2
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a
- ATPV 9.5 cal/cm² (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- 2-way brass zipper closure
- Adjustable elastic suspenders
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Sizes: S-5XL





FLAME RESISTANT COTTON SAFETY COVERALL

5555 (V2520250) ORANGE 5555T (V252025T) ORANGE 5558A (V2520210) ROYAL 5558AT (V252021T) ROYAL 5558BK (V2520270) BLACK 5558BKT (V252027T) BLACK

- 100% cotton, FR treated, 10 oz (340 gsm)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 11 / contact test 8.2
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a
- ATPV 9.5 cal/cm² (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- 2-way brass zipper closure
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable wrists and ankles
- Action back and elastic waist
- 5555 Sizes: 36-60
- 5555T Tall Sizes: 40-60
- 5558A/55558BK Sizes: 36-66
- 5558AT/5558BKT Tall Sizes: 40-66







WOMEN'S FLAME RESISTANT COTTON SAFETY COVERALL

5558BW (V2520970) BLACK

- 100% cotton, FR treated, 10 oz (340 gsm)
- Meets CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 11 / contact test 8.2
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a
- ATPV 9.5 cal/cm² (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- Full 2-way YKK brass zips from waist to ankle
- Unique zip design for convenient washroom access
- 8 storage pockets: 2 back, 2 chest, 2 side, 1 tool, 1 sealed inside left chest pocket
- Action back and elastic waist
- Adjustable wrists and ankles
- Women's Sizes: XS-2XL



FLAME RESISTANT COTTON DUCK JACKET

5098 (V2530130) BROWN

- 100% cotton duck, FR treated
- Meets CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 13 / contact test 9.2
- 4 storage pockets
- Full brass zipper closure
- Sizes: S-4XL





FLAME RESISTANT COTTON DUCK OVERALL

5099 (V2530230) BROWN 5099T (V253023T) BROWN

■ 100% cotton duck, FR treated

- Meets CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 13 / contact test 9.2

- 10 storage pockets: 2 back, 2 chest, 3 side, 3 tool
- Detachable, adjustable suspenders
- Hammer loop
- Heavy-duty triple stitching
- Reinforced knees
- 5099 Sizes: S-3XL
- 5099T Tall Sizes: M-3XL



FLAME RESISTANT COTTON COVERALL 5559 (V2520310) ROYAL

- 100% cotton, FR treated, 10 oz (340 gsm)
- Meets CGSB 155.20, 2000

5559T (V252031T) ROYAL

- Thermal Protective Performance (TPP) value: with the spacer 11 / contact test 8.2
- Meets ASTM F1506-10a
- ATPV 9.5 cal/cm² (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- 2-way brass zipper closure
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- Pass-through pocket on right side
- Action back and elastic waist
- Adjustable wrists and ankles
- 5559 Sizes: 36-60
- 5559T Tall Sizes: 40-60









FLAME RESISTANT QUILTED COTTON SAFETY PARKA

5523A (V2560211) ROYAL 5533A (V2560251) ORANGE 5523BK (V2560270) BLACK

- 100% cotton, FR treated
- 6.5 oz (220 gsm) modacrylic FR insulation
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: contact test 18.8
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a
- ATPV 39 cal/cm2 (Arc Thermal Protective Value)
- HRC 3 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- FR brass zipper plus snap closure storm flap
- Tough double-sewn seams
- 5 storage pockets: 2 chest, 2 front, 1 inside chest
- Drawstring waist and storm cuffs
- Sizes: S-5XL

FLAME RESISTANT QUILTED COTTON SAFETY OVERALL

5524A (V2560311) ROYAL 5534A (V2560351) ORANGE 5524BK (V2560370) BLACK

- 100% cotton, FR treated
- 5.3 oz (180 gsm) modacrylic FR insulation
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: contact test 18.8
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a
- ATPV 39 cal/cm2 (Arc Thermal Protective Value)
- HRC 3 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- FR brass zipper closure
- Tough double-sewn seams
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- Adjustable elastic suspenders and elastic waist
- 3/4 zipper plus snaps on each side
- Hammer loop
- 5524A/5524BK Sizes: S-5XL
- 5534A Sizes: S-4XL









FLAME RESISTANT QUILTED COTTON SAFETY COVERALL

5522A (V2560111) ROYAL 5532A (V2560151) ORANGE 5522BK (V2560170) BLACK

- 100% cotton, FR treated
- 6.5 oz (220 gsm) modacrylic FR insulation
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: contact test 18.8
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a
- ATPV 39 cal/cm2 (Arc Thermal Protective Value)
- HRC 3 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- FR 2-way brass zipper closure
- Tough double-sewn seams
- 6 storage pockets: 2 back, 2 chest, 2 side
- Action back, elastic waist and storm cuffs
- Adjustable ankles
- 3/4 zipper plus snaps on each side
- Sizes: S-4XL



HOOD FOR 5522A COVERALL

523 (V2561110) ROYAL

- 100% cotton, FR treated
- Meets CGSB 155.20, 2000
- Button closure
- Size: Fit-All





Hoodie Common Features:

- 100% FR treated preshrunk cotton, 11.8 oz (400 gsm)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 12 / contact test 10.5
- ATPV 23 cal/cm² (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- Liberal sizing
- Sizes: XS-7XL





FLAME RESISTANT PULLOVER STYLE HEAVYWEIGHT HOODIE

335 (V2570170) BLACK

- Front pouch pocket
- Non-detachable hood





FLAME RESISTANT ZIP STYLE HEAVYWEIGHT HOODIE

337 (V2570270) BLACK

- 2 front pouch pockets
- FR brass zipper
- Removable snap hood



337SF (V2570470) BLACK 338SF (V2570450) ORANGE

- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- StarTech™ FR reflective tape
- 2 front pouch pockets, FR brass zipper
- Removable snap hood







FLAME RESISTANT DENIM SHIRT

330 (V2580110) COTTON STONEWASH DENIM

- 100% FR treated preshrunk cotton denim
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 7.8 / contact test 6.6
- 2 spade chest pockets with buttons
- Button-down collar
- Sewn-on front placket with press snaps
- Pen slot on left chest pocket flap
- Sizes: S-4XL



FLAME RESISTANT LONG-SLEEVED SHIRT

333 (V2580380) NAVY 333 (V2580310) LIGHT GREY 333BK (V2580370) BLACK

- 100% FR treated preshrunk cotton knit, 7.5 oz (250 gsm)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 7.2 / contact test 7
- ATPV 9 cal/cm² (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- Left chest pocket
- Crew collar neck, comfort knit cuffs
- Sizes: S-5XL



FLAME RESISTANT LONG-SLEEVED SAFETY SHIRT

340SF (V2580570) BLACK 339SF (V2580550) ORANGE

- 100% FR treated preshrunk cotton, 7.5 oz (250 gsm)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 7.2 / contact test 7
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- ATPV 9 cal/cm² (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- Self fabric crew neck
- Chest pocket with hook and loop closure
- Sizes: S-5XL











FLAME RESISTANT VEST

128 (V2510150) ORANGE 129 (V2510170) BLACK

- 100% FR treated preshrunk cotton knit
- Material and all components meet CGSB 155.20, 2000 must be worn with an FR sleeved garment
- Thermal Protective Performance (TPP) value: with the spacer
 7.2 / contact test 7
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- ATPV 9 cal/cm² (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- Cell phone pocket, snap front closure
- D ring access slot
- Sizes: XS-5XL





FLAME RESISTANT COTTON DUCK INSULATED VEST

137SF (V2510370) BLACK

- 100% FR treated preshrunk 10 oz (350 gsm) cotton duck
- 5.3 oz (180 gsm) modacrylic FR insulation
- Material and all components meet CGSB 155.20, 2000 must be worn with an FR sleeved garment
- Thermal Protective Performance (TPP) value of shell fabric: with the spacer 10.4 / contact test 8.3
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- ATPV 12 cal/cm² (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- 5 storage pockets: 2 front slash, 3 inner
- Full brass zipper
- Sizes: S-3XL





FLAME RESISTANT COTTON DUCK SAFETY VEST

138SF (V2510470) BLACK

- 100% FR treated preshrunk 10 oz (350 gsm) cotton duck
- Material and all components meet CGSB 155.20, 2000 must be worn with an FR sleeved garment
- Thermal protective performance (TPP) value: with the spacer 10.4 / contact test 8.3
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- ATPV 12 cal/cm² (Arc Thermal Protective Value)
- HRC 2 (Hazard/Risk Category)
- StarTech™ FR reflective tape
- Double snap adjustable front closure
- 5 storage pockets: 2 front, 2 inner, 1 cell phone
- 2 radiophone clip straps
- D ring access slot, 3 pen slots
- Sizes: S-4XL





HI-VIZ FLAME RESISTANT VEST

6914A (V2510850) HI-VIZ ORANGE 6916A (V2510860) HI-VIZ YELLOW/GREEN

- FR treated polyester mesh
- Meets EN ISO 14116 Index 1
- Should be worn over an FR sleeved garment
- CSA Z96-09 Class 2 Level 2
- 5 point tear-away
- StarTech™ FR reflective tape
- D ring access slot
- Adjustable 1 size up at front
- 4 Sizes: S/M, L/XL, 2XL/3XL, 4XL/5XL





FLAME RESISTANT LONG RAIN COAT

580 (V3510560) YELLOW

- .35 mm FR treated PVC/polyester/PVC
- Meets CGSB 155.20, 2000 Type 3
- 100% waterproof
- Zip and snap front placket
- Detachable snap hood
- Sizes: S-5XL



FLAME RESISTANT RAIN SUIT

571 (V3510160) YELLOW 578 (V3510360) YELLOW

- 571 Heavy-duty .45 mm FR treated PVC/polyester/PVC
- 578 .35 mm FR treated PVC/polyester/PVC
- Meets CGSB 155.20, 2000 Type 3
- 100% waterproof
- 571 3 pieces: jacket with snap closure and removable snap hood, double bib reversible pant, elastic suspenders
- 578 3 pieces: jacket with zip and snap front placket and removable snap hood, bib pant, self fabric suspenders
- 571 Sizes: S-5XL

578 — Sizes: S-6XL





Common Features:

- FR treated 100% polyurethane/poly
- All meet CGSB 155.20, 2000 Type 3
- Oil and chemical resistant
- 100% waterproof and windproof
- Lightweight and tough 4-way stretch PU
- StarTech™ FR reflective tape
- Heat welded seams

FLAME RESISTANT PU STRETCH HI-VIZ RAIN JACKET

5892 (V3520150) HI-VIZ ORANGE

5894 (V3520160) HI-VIZ YELLOW/GREEN

5894BK (V3520170) BLACK

- 5892 CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- 5894 CSA Z96-09 Class 2 Level 2 and Class 2 Level FR (Class 3 when worn with 5895 or 5899)
- 5894BK CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Extra-large detachable hood
- Full front zipper with snap closure storm front
- 5892 Sizes: XS-7XL
- 5894 Sizes: XS-4XL
- 5894BK Sizes: XS-5XL



FLAME RESISTANT PU STRETCH HI-VIZ LONG RAIN COAT

5896 (V3520350) HI-VIZ ORANGE

5897 (V3520360) HI-VIZ YELLOW/GREEN

- 5896 CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- 5897 CSA Z96-09 Class 3 Level 2 and Class 3 Level FR
- Extra-large detachable hood
- Full front zipper with snap closure storm flap
- 5896 -Sizes: S-5XL
- 5897 Sizes: XS-5XL













- FR treated 100% polyurethane/poly
- All meet CGSB 155.20, 2000 Type 3
- Oil and chemical resistant
- 100% waterproof and windproof
- Lightweight and tough 4-way stretch PU
- StarTech™ FR reflective tape
- Heat welded seams

FLAME RESISTANT PU STRETCH HI-VIZ RAIN BIB PANT

5893 (V3520250) HI-VIZ ORANGE 5895 (V3520260) HI-VIZ YELLOW/GREEN 5895BK (V3520270) BLACK

- 5893/5895BK CSA Z96-09 Class 1 Level 2 and Class 1 Level FR when worn with 5892/5894BK
- 5895 CSA Z96-09 Class 3 Level 2 and Class 3 Level FR when worn with 5894
- Heavy-duty suspenders with quick-release clips
- Adjustable waist with snaps
- 5893 Sizes: XS-7XL
- 5895 Sizes: XS-4XL
- 5895BK Sizes: XS-5XL

FLAME RESISTANT PU STRETCH HI-VIZ RAIN WAIST PANT

5898 (V3520450) HI-VIZ ORANGE 5899 (V3520460) HI-VIZ YELLOW/GREEN

- 5898 CSA Z96-09 Class 1 Level 2 and Class 1 Level FR when worn with 5892
- 5899 CSA Z96-09 Class 3 Level 2 and Class 3 Level FR when worn with 5894
- Adjustable drawstring waist
- 5898 Sizes: S-5XL
- 5899 Sizes: XS-5XL



Introducing PeakWorks

We are excited to add the PeakWorks line of fall protection & fall arrest safety equipment and training programs to the Pioneer safety lineup. The following 4 pages show just a sampling of what we now have available from our 6 Canadian warehouses from coast to coast. On request, we will be pleased to mail you the 60-page PeakWorks catalogue which features our complete line of aerial productivity equipment and training services.

Harnesses





FBH-60110A

A

FBH-10000A



FBH-10020A

PEAKPRO SERIES HARNESSES

- The new PeakWorks PEAKPRO harness has it all—durability, improved comfort, and greater mobility, all at a reasonable price
- Premium full body harness with lightweight breathable back support pad, fully adjustable design features 5 points of adjustment for maximum comfort (2 shoulder, 2 leg and 1 chest), stablock buckles for ease of donning, padded leg straps for improved comfort, fall indicator for easier inspection before use
- Large back D-ring for easy connection to lanyard or other connecting devices
- Certified to CSA and ANSI and meets all applicable OSHA standards



Series #	Style	Chest	Legs	Shoulders	Class	Weight
FBH-60110A	Premium harness univ. 5 point	Stablock	Stablock	Friction	Class A	3.5 lbs
FBH-60110B	Premium harness univ. 5 point	Stablock	Stablock	Friction	Class AP	4.0 lbs
FBH-60120A	Premium harness univ. 5 point	Stablock	Grommets	Friction	Class A	4.0 lbs
FBH-60120B	Premium harness univ. 5 point	Stablock	Grommets	Friction	Class AP	4.5 lbs

CONTRACTORS' HARNESSES

- The new PeakWorks Contractor Series of harnesses has it all—durability, improved comfort, and greater mobility, all at a reasonable price
- The only competitively-priced contractor's harness with a high-visibility feature, fully adjustable design features 5 points of adjustment for maximum comfort (2 shoulder, 2 leg and 1 chest)
- Pass Thru buckles for ease of donning, sub-pelvic strap for added safety and support, two-tone color scheme for ease of donning, fall indicator for easier inspection before use, large back D-ring for easy connection to lanyard or other connecting devices
- Certified to CSA and ANSI and meets all applicable OSHA standards



Series #	Style	Chest	Legs	Shoulders	Class	Weight
FBH-10000A	Contractor harness univ. 5 point	Pass Thru	Pass Thru	Friction	Class A	2.5 lbs
FBH-10000B	Contractor harness univ. 5 point	Pass Thru	Pass Thru	Friction	Class AP	3.0 lbs

CONTRACTORS' HARNESSES W/ GROMMETED LEGS

- The PeakWorks Contractor Series is also available with grommeted leg straps for quick adjustments when speed of donning the harness is a concern
- Certified to CSA and ANSI and meet all applicable OSHA standards



Series #	Style	Chest	Legs	Shoulders	Class	Weight
FBH-10020A	Contractor harness univ. 5 point	Pass Thru	Grommets	Friction	Class A	3.0 lbs
FBH-10020B	Contractor harness univ. 5 point	Pass Thru	Grommets	Friction	Class AP	3.5 lbs



POY STYLE (PARTIALLY ORIENTED YARN) LANYARDS

The PeakWorks Shock Absorbing Lanyards are a POY style (Partially Oriented Yarn), eliminating the need for a shock pack. In the event of a fall the PeakWorks lanyard will ensure that the maximum arrest force is below 900 lbs. The PeakWorks lanyard is available in a variety of styles including single leg and double leg (100% tie-off). Each lanyard, each part are thoroughly tested during the product development stage and are batch tested to confirm conformance.

Series #	Description	Body	Anchor	Size
SA-1000-X	POY Single Leg	Regular	Regular	X = 4 or 6 ft
SA-1002-X	POY Single Leg	Regular	Form	X = 4 or 6 ft
SA-1040-X	POY Single Leg	Loop	Regular	X = 4 or 6 ft
SA-1042-X	POY Single Leg	Loop	Form	X = 4 or 6 ft
SA-20000-X	POY 100% Tie Off	Regular	Regular	X = 4 or 6 ft
SA-20022-X	POY 100% Tie Off	Regular	Form	X = 4 or 6 ft

PeakWorks POY Style lanyards are certified to CSA Z259.11-05.

Lanyards









SA-1002-X

SA-1000-X

SA-20022-X



SA-3200-X

SHOCK PACK STYLE LANYARDS

PeakWorks Shock Pack style lanyards are compact and easy to inspect through the clear shrink tube.

In the event of a fall the PeakWorks lanyard will ensure that the maximum arrest force is held below 900 lbs. PeakWorks Shock Pack lanyards are available in a variety of styles.

PeakWorks Shock Pack lanyards are certified to CSA Z259.11-05.



SA-3202-X

10	

SA-42022-X

Lanyards

Series #	Description	Size
SA-3200-X	Shock Absorbing Lanyard	X = 4 or 6 ft
SA-3202-X	Shock Absorbing Lanyard	X = 4 or 6 ft

Y-Lanyards

Series #	Description	Size
SA-42022-X	Shock Absorbing Y-Lanyard	X = 4 or 6 ft

Connectors & Anchors



RG-11010





RG-21000

AUTOMATIC ROPE GRAB

Series #	Description	Size
RG-11010	Automatic Rope Grab w Panic Grab (Steel with Corrosion Resistant Plating)	Small eye
SA-3206-2	Automatic Rope Grab w Panic Grab & Shock Absorbing Lanyard	2 ft
RG-21000	Automatic Rope Grab w Panic Grab (Stainless)	Large eye

ROOF BRACKETS

Series #	Description	Weight
RB-9701	Single-Use Roof Bracket	1 lbs
RB-9800	Reusable Roof Bracket	2 lbs





RB-9701

RB-9800

VERTICAL LIFELINES


The PeakWorks vertical lifelines are made from 5/8" polysteel rope.

Series #	Description	Size
VL-1110-X	5/8" Polysteel w Carabiner	25 to 100 ft
VL-1120-X	5/8" Polysteel w Snap Hook	25 to 100 ft





VL-1110-X



AS-21000-4

CABLE ANCHOR SLING

PVC (transparent red) coated aircraft cable, galvanized 7 x 19 strands, rated for $5{,}000$ lbs

Series #	Description	Size
AS-21000-4	Minimum tensile strength of 5000 lbs	4 ft
AS-21000-6	Minimum tensile strength of 5000 lbs	6 ft







The PeakWorks Roofer's Kit eliminates the need to mix and match product, everything you need is contained in one pail and all components are CSA approved.

Includes:

- FBH-10002A universal 3-point quick-connect Class A harness
- 25 ft or 50 ft polysteel vertical lifeline
- ADP rope grab w/2 ft shock-absorbing lanyard
- RB-9701 single-use roof bracket with fasteners or
- RB-9800 reuseable roof bracket (strongly recommended by CSST in Quebec)



RK3-X

Series #	Description	Length	Weight
RK3-25	Roofer's kit w ADP Rope Grab and Single-Use Bracket	25 ft	8 lbs
RK3-50	Roofer's kit w ADP Rope Grab and Single-Use Bracket	50 ft	10 lbs
*RK4-25	Roofer's kit w ADP Rope Grab and Reuseable Bracket	25 ft	8 lbs
*RK4-50	Roofer's kit w ADP Rope Grab and Reuseable Bracket	50 ft	10 lbs

^{*}Reuseable brackets are recommended by CSST inspectors

Self-Retracting Lifelines

RK4-X

SELF-RETRACTING LIFELINES (SRL)

Self-retracting lifelines are flexible connectors that extend and retract using a spring locking mechanism similar to a seatbelt. Under normal use, the worker can move about while the SRL keeps the connection between the anchor and the harness snug. If the worker slips or falls, the mechanism locks up the SRL and prevents further extension of the lifeline.

SRL's are segregated into 3 classes:

Class 1 - under 10 feet (3m) in length

Class 2 – over 10 feet (3m) in length with shock-absorbing mechanism

Class 3 – over 10 feet (3m) in length with shock-absorbing mechanism and rescue retrieval

Series #	Description	Size
SRL-10301-8	Type 1 Web Retractable w Snap Hook	8 ft (2.4m)
SRL-33302-20	Type 2 w 3/16" Galv. Cable & Swivel Hook	20 ft (6m)
SRL-33302-50	Type 2 w 3/16" Galv. Cable & Swivel Hook	50 ft (15m)





SRL-10301-8

SRL-33302-20

Meet or exceed CSA Z259.2.2



Confined Space

The OHS Regulation defines a confined space as: an area, other than an underground working area, that

- (a) is enclosed or partially enclosed,
- (b) is not designed or intended for continuous human occupancy,
- (c) has limited or restricted means for entry or exit that may complicate the provision of first aid, evacuation, rescue or other emergency response service, and
- (d) is large enough and so configured that a worker could enter to perform assigned work.

Confined spaces have limited openings for entry and exit, for example silos, vats, ship holds, sewers, tunnels, large pipelines and other such spaces that workers could enter to perform work.





CSK1-50

Series #	Description
BAG-005	Tripod Carrying Bag for TR-100
CP-41210-1	Pulley–Aluminum Single w/ Oscillating Side Plates
CP-41210-2	Pulley–Aluminum Double w/ Oscillating Side Plates
CSK1-50	Confined Space Kit w Tripod & 3-way 50 ft
CSK2-50	Confined Space Kit w Tripod & Man Winch 65 ft
CSK3-50	Confined Space Kit w Tripod, 3-way 50 ft & Man Winch 65 ft
MW-65G	Man Winch w/ Galvalnized Cable, & Swivel Hook 65 ft
SRL-33303-50	SRL Type 3 Aluminum w/ 3/16" Galv Cable & Swivel Hook 50 ft (15m)
SRL-33303-BRKT	Tripod Mounting Bracket for SRL-33303
TR-100	Tripod w/ Chain and 1 Pulley 7 ft
TR-Chain	Chain Assembly for 7 ft Tripod
TR-Legpin	Tripod Leg Pin








CSK3





Services

AUDIT

Every company is required to have a fall protection plan. A thorough fall protection plan must begin with an audit of the work site or facility. The PeakWorks audit process identifies all of the fall hazards at the workplace and reviews the current fall protection practices in place. A PeakWorks audit will recommend systems, products, and procedures to eliminate or mitigate the risk of working at heights.

ENGINEERED SYSTEMS

Every PeakWorks engineered system is presented as a turn-key solution to our clients. The solution encompasses equipment, installation, training and certification. PeakWorks has experience in vertical and horizontal lifelines, rigid rail systems, guardrails, and permanent anchor points. Every project has a PeakWorks professional engineer in charge – which means your systems are certified. Our team of professional installers have been selected and trained by our in-house engineers, ensuring the highest level of competency. Our design and installation processes deliver satisfaction to our clients, while keeping project costs under control.

INSPECTION & CLEANING

PeakWorks' RFID Inspection system is a fast, easy and reliable way to inspect your PPE. The RFID chip is the key to the system, integrating each piece of equipment with the product type, date of manufacture, serial number and relevant product standards. Each product type has a unique inspection process that conforms to the regulatory standards. PeakWorks' inspection customers receive a timely email informing them when equipment is due for inspection.

Cleaning and inspection of fall protection equipment can prolong the life of your gear. PeakWorks offers a hassle-free approach to the cleaning and inspection of your PPE. Our team of experts can clean and inspect your PPE fast and conveniently—usually within a week. Our non-invasive cleaning process does not weaken reflective materials, stitching or seams. The colours of your items will not fade. Even materials like leather can go through the cleaning process.

From risk assessment through to installation and training, PeakWorks will customize an engineered system to match your requirements.



PU STRETCH HI-VIZ SAFETY JACKET

D7125OJ (V1140150) HI-VIZ ORANGE D7125YJ (V1140160) HI-VIZ YELLOW/GREEN

- 100% waterproof polyurethane
- CSA Z96-09 Class 2 Level 2 (Class 3 when worn with D71250P/D7125YP)
- 3M[®] Scotchlite[®] reflective tape
- Lightweight and tough 4-way stretch fabric
- Nylon tricot lining transfers body perspiration
- Remains flexible in cold temperatures
- Oil and chemical resistant
- 2 front pockets
- Heat welded seams
- Full zipper with snap closure storm flap
- Hood folds into collar
- Adjustable wrists
- = Sizes: XS-5XL



PU STRETCH HI-VIZ SAFETY BIB PANT

D7125OP (V1140250) HI-VIZ ORANGE D7125YP (V1140260) HI-VIZ YELLOW/GREEN

- 100% waterproof polyurethane
- CSA Z96-09 Class 3 Level 2 when worn with D71250J/D7125YJ
- 3M[®] Scotchlite[®] reflective tape
- Lightweight and tough 4-way stretch fabric
- Nylon tricot lining transfers body perspiration
- Remains flexible in cold temperatures
- Oil and chemical resistant
- Heat welded seams
- Heavy-duty suspenders with quick-release clips
- Adjustable snap ankles
- Sizes: XS-5XL



HI-VIZ PVC SAFETY BIB PANT

D1020 (V3030350) HI-VIZ ORANGE

- Heavyweight premium .45 mm PVC coated polyester/PVC
- PVC reflective tape
- 100% waterproof
- Tough, triple-welded seams
- Premium heavy-duty elastic suspenders
- Sizes: XS-5XL



HI-VIZ PVC SAFETY JACKET AND HOOD

D1000 (V3030150) HI-VIZ ORANGE D1003 (V3030250) hood HI-VIZ ORANGE

- Heavyweight premium .45 mm PVC coated polyester/PVC
- PVC reflective tape
- 100% waterproof
- Tough, triple-welded seams
- Double brass snap storm flap closure
- Hood sold separately
- Sizes: XS-5XL









PU STRETCH JACKET D7000 (V3020140) OLIVE D7000 (V3020180) NAVY

- 100% waterproof polyurethane
- Lightweight and tough 4-way stretch fabric
- Nylon tricot lining wicks away body perspiration
- Remains flexible in cold temperatures
- Oil-resistant
- 2 front pockets

- Heat welded seams
- Hood folds into collar
- 2-way zipper with snap closure storm flap
- Adjustable wrists
- Olive Sizes: XS-5XL
- Navy Sizes: S-3XL



PU STRETCH PANT

D7183 (V3020540) OLIVE D7183 (V3020580) NAVY

- 100% waterproof polyurethane
- Lightweight and tough 4-way
- Nylon tricot lining wicks away body perspiration
- Remains flexible in cold temperatures
- Oil-resistant

stretch fabric

- Heat welded seams
- Drawstring waist
- Adjustable snap ankles
- Olive Sizes: XS-5XL
- Navy Sizes: S-3XL



PU STRETCH BIB PANT

D7020 (V3020340) OLIVE D7020 (V3020380) NAVY

- 100% waterproof polyurethane
- Lightweight and tough 4-way stretch fabric
- Nylon tricot lining wicks away body perspiration
- Remains flexible in cold temperatures
- Oil-resistant
- Heat welded seams
- Heavy-duty suspenders with quick-release clips
- Olive Sizes: XS-5XL
- Navy Sizes: S-3XL



HI-VIZ 150 D LIGHTWEIGHT SAFETY JACKET WITH DETACHABLE HOOD

5594 (V1090150) HI-VIZ ORANGE

5596 (V1090160) HI-VIZ YELLOW/GREEN

- 150 Denier PU coated polyester, 10 oz (350 gsm)
- 100% waterproof and windproof
- CSA Z96-09 Class 2 Level 2 (Class 3 when worn with 5595/5597 or 5600/5601)
- StarTech™ reflective tape
- Taped and heat sealed seams
- Extra liberal fit for working comfort
- Multiple front and back vents

- Fully mesh lined
- Adjustable wrists
- 2 large front cargo pockets
- Detachable and adjustable hood, folds into fleece collar
- Full front zipper with storm flap closure
- Sizes: XS-5XL



HI-VIZ 150 D LIGHTWEIGHT SAFETY BIB PANT

5595 (V1090250) HI-VIZ ORANGE

5597 (V1090260) HI-VIZ YELLOW/GREEN

- 150 Denier PU coated polyester , 10 oz (350 gsm)
- 100% waterproof and windproof
- CSA Z96-09 Class 3 Level 2 when worn with 5594/5596
- StarTech™ reflective tape
- Taped and heat sealed seams
- Extra liberal fit for working comfort
- Elastic suspenders with quick-release clips
- Boot access zippers with adjustable ankles
- Fly access
- Sizes: XS-5XL



HI-VIZ 150 D LIGHTWEIGHT SAFETY WAIST PANT

5600 (V1090350) HI-VIZ ORANGE

5601 (V1090360) HI-VIZ YELLOW/GREEN

- 150 Denier PU coated polyester , 10 oz (350 gsm)
- 100% waterproof and windproof
- CSA Z96-09 Class 3 Level 2 when worn with 5594/5596
- StarTech™ reflective tape
- Taped and heat sealed seams
- 2 pass-through pockets
- Back pocket with snap
- Elastic drawstring waist with toggle
- Extra liberal fit for working comfort
- Sizes: XS-5XL







HI-VIZ NAILHEAD POLYESTER JACKET AND HOOD

D81250J (V1110950) HI-VIZ ORANGE
D8125YJ (V1110960) HI-VIZ YELLOW/GREEN
D81250H (V1111150) hood HI-VIZ ORANGE
D8125YH (V1111160) hood HI-VIZ YELLOW/GREEN

- 100% waterproof 450 Denier oxford polyester
- CSA Z96-09 Class 2 Level 2 (Class 3 when worn with D81250P/D8125YP)
- 3M[®] Scotchlite[®] reflective tape
- Taped and heat sealed seams, fully lined
- Full front zipper with storm flap closure
- 2 large front cargo pockets
- Seamless shoulders, multiple front and back vents
- Adjustable wrists
- Hood sold separately
- Sizes: XS-5XL











HI-VIZ LIGHTWEIGHT RAIN SUIT

5598 (V1080150) ORANGE 5599 (V1080160) YELLOW/GREEN 5599BK (V1080170) BLACK

- 2 pieces: hooded jacket and bib pant, fold into storage pouch
- 100% waterproof polyester/PVC
- CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- Back vents
- Adjustable hem
- Taped and heat sealed seams
- 2 large front cargo pockets on jacket
- Hood folds and zips into collar
- 5598 Sizes: S-4XL
- 5599/5599BK Sizes: XS-4XL



HI-VIZ NAILHEAD POLYESTER BIB PANT

D8125OP (V1111050) HI-VIZ ORANGE D8125YP (V1111060) HI-VIZ YELLOW/GREEN

- 100% waterproof 450 Denier oxford polyester
- CSA Z96-09 Class 3 Level 2 when worn with D81250J/D8125YJ
- 3M[®] Scotchlite[®] reflective tape
- Taped and heat sealed seams
- Boot access zippers with adjustable ankles
- Adjustable elastic suspenders with quick-release clips
- Sealed fly access
- Sizes: XS-5XL







3-in-1 System Rainwear

Fleece Liners Sold Separately

HI-VIZ 100% WATERPROOF JACKET

5575A (V1110250) HI-VIZ ORANGE 5585A (V1110660) HI-VIZ YELLOW/GREEN

- 450 Denier oxford polyester with PU backing
- CSA Z96-09 Class 2 Level 2 (Class 3 when worn with 5576/5586 or 5578/5588)
- 3M® Scotchlite® reflective tape
- Inner zipper to accommodate optional 3-in-1 zip-in 6924/6925/6925BK fleece liner (sold separately)
- 100% waterproof and windproof
- Fully mesh lined
- Taped and heat sealed seams
- 2 front pockets
- Full front zipper with snap closure storm flap
- Detachable snap hood
- Storm cuffs
- 5575A Sizes: S-4XL
- 5585A Sizes XS-4XL

HI-VIZ 100% WATERPROOF BOMBER

5574A (V1110150) HI-VIZ ORANGE 5584A (V1110560) HI-VIZ YELLOW/GREEN

- 450 Denier oxford polyester with PU backing
- CSA Z96-09 Class 2 Level 2 (Class 3 when worn with 5576/5586 or 5578/5588)
- 3M[®] Scotchlite[®] reflective tape
- Inner zipper to accommodate optional 3-in-1 with zip-in 6924/6925/6925BK fleece liner (sold separately)
- 100% waterproof and windproof

- Fully mesh lined
- Taped and heat sealed seams
- 2 radiophone clip straps
- Cell phone pocket
- 2 front pockets
- Full front zipper with snap closure storm flap
- Detachable snap hood
- Adjustable wrists and elastic waist
- Sizes: S-4XL



Fleece hoodies zip into jackets above

HI-VIZ POLYESTER FLEECE HOODIE

6924 (V1060350) HI-VIZ ORANGE 6925 (V1060460) HI-VIZ YELLOW/GREEN 6925BK (V1060471) BLACK

- Premium 10.5 oz (360 gsm) polyester fleece
- 6924/6925 CSA Z96-09 Class 2 Level 2 (Class 3 when worn with 5576/5586 or 5578/5588)
- 6925BK CSA Z96-09 Class 1 Level 2
- 3M[®] Scotchlite[®] reflective tape
- Zips into inner zipper on 5575A/5585A or 5574A/5584A to make 3-in-1 jacket (optional, sold separately)
- Detachable drawstring hood
- Elastic cuffs and hem
- 2 front slash pockets
- Full front zipper
- 2 radiophone clip straps
- 6924/6925BK Sizes: S-5XL
- 6925 Sizes: XS-5XL



3-in-1 System Rainwear

HI-VIZ 100% WATERPROOF WAIST PANT

5576 (V1110350) HI-VIZ ORANGE 5586 (V1110360) HI-VIZ YELLOW/GREEN

- 450 Denier oxford polyester with PU backing
- CSA Z96-09 Class 3 Level 2 when worn with 5575A/5585A or 5574A/5584A
- 3M[®] Scotchlite[®] reflective tape
- 100% waterproof and windproof
- Taped and heat sealed seams
- 2 pass-through pockets
- Elastic waist
- Rear pocket
- 5576 Sizes: S-3XL
- 5586 Sizes XS-3XL



HI-VIZ 100% WATERPROOF BIB PANT

5578 (V1110450) HI-VIZ ORANGE 5588 (V1110460) HI-VIZ YELLOW/GREEN

- 450 Denier PU coated oxford polyester
- CSA Z96-09 Class 3 Level 2 when worn with 5575A/5585A or 5574A/5584A
- 3M[®] Scotchlite[®] reflective tape
- 100% waterproof and windproof
- Taped and heat sealed seams
- Fully lined
- Inside bib pocket with pen slot
- Boot access zippers with adjustable ankles
- Premium adjustable elastic suspenders
- Zipper fly access
- 5578 Sizes: S-4XL
- 5588 Sizes: XS-4XL



Common Features – 5030/5031/5031BK/5032/5033:

- 300 Denier PU coated oxford polyester
- 5030/5031/5032/5033 CSA Z96-09

- 100% waterproof and windproof
- 5.9 oz (200 gsm) poly filling Taped and heat sealed seams
- 2 large front pockets
- Cell/radiophone pocket on left chest
 Inside storage pocket
 and pouch pocket
- Delrin® zipper with snap placket
- Embroidery access zipper
- Adjustable hood folds into collar
- Knitted storm cuffs
- Zip-to-top fleece lined collar



WINTER INSULATED PARKA

5030 (V1150150) HI-VIZ ORANGE 5031 (V1150160) HI-VIZ YELLOW/GREEN 5031BK (V1150170) BLACK

Sizes: S-5XL

WINTER INSULATED BOMBER 5032 (V1150250) HI-VIZ ORANGE 5033 (V1150260) HI-VIZ YELLOW/GREEN

Sizes: S-5XL



HI-VIZ 100% WATERPROOF 6-in-1 PARKA 6-in-1 System 5020BB (V1120151) HI-VIZ ORANGE 5021BB (V1120161) HI-VIZ YELLOW/GREEN Rainwear 5025 (V1120470) BLACK Sizes: XS-5XL

HI-VIZ 100% WATERPROOF 6-in-1 BOMBER

5022 (V1120350) HI-VIZ ORANGE 5023 (V1120360) HI-VIZ YELLOW/GREEN



Common Features - 5020BB/5021BB/5022/5023/5025:

- 300 Denier PU coated oxford polyester
 5020BB/5021BB/5022/5023 Inner and outer jackets CSA Z96-09 Class 2 Level 2 (Class 3 when worn with 5040BB/5041BB or 5043/5044 or 5046/5047)
- 5025 Inner and outer jackets CSA Z96-09 Class 1 Level 2
- 3M[®] Scotchlite[®] reflective tape
- 100% waterproof and windproof
- Taped and heat sealed seams

6 ways to wear:

- Outer jacket alone
- Outer jacket with inner jacket
- Inner jacket alone
- Inner jacket without sleeves
- Inner jacket reversed
- Inner jacket reversed without sleeves

Outer jacket

- 5020BB/5021BB/5025:

- Quilted lining
- Adjustable hood folds into collar
- 2 large front cargo pockets, 2 inner pockets
- Full front zipper with snap closure storm flap
- 7" side zippers for greater mobility
- Storm cuffs = Embroidery access zipper

Outer jacket - 5022/5023:

- Fully mesh lined = Adjustable cuffs
- Full front zipper with snap closure storm flap
- 2 radiophone clip straps, 2 large front cargo pockets, 1 cell phone pocket
- 4 inside pockets

Inner jacket

-5020BB/5021BB/5022/5023/5025:

- Quilted lining = Removable sleeves
- Comfort collar, 2 large front cargo pockets, 2 inner pockets = Reversible to black



6-in-1 System Rainwear

HI-VIZ 100% WATERPROOF QUILTED OVERALL

5040BB (V1120651) HI-VIZ ORANGE 5041BB (V1120661) HI-VIZ YELLOW/GREEN 5042 (V1120870) BLACK

- 300 Denier PU coated oxford polyester with 5.3 oz (180 gsm) warm quilted polyester lining
- 5040BB/5041BB CSA Z96-09 Class 2 Level 2 (Class 3 when worn with 5020BB/5021BB or 5022/5023)
- 5042 CSA Z96-09 Class 1 Level 2
- 3M[®] Scotchlite[®] reflective tape
- 100% waterproof and windproof
- Double-sewn, taped and heat sealed seams
- 2-way zipper closure with brass snap closure storm flap
- Premium adjustable elastic suspenders with quick-release clips
- Elastic waist
- 2 front slash cargo pockets
- Sealed inside chest pocket with pen slot
- Outside chest pocket with flap
- Boot access 2-way leg zippers with snap storm covers
- 5040BB/5042 Sizes: S-5XL
- 5041BB Sizes: S-4XL



HI-VIZ 100% WATERPROOF QUILTED PANT

5043 (V1120850) HI-VIZ ORANGE 5044 (V1120860) HI-VIZ YELLOW/GREEN

- 300 Denier PU coated oxford polyester with 5.3 oz (180 gsm) warm quilted polyester lining
- CSA Z96-09 Class 3 Level 2 when worn with 5020BB/5021BB or 5022/5023
- 3M[®] Scotchlite[®] reflective tape
- 100% waterproof and windproof
- Double-sewn, taped and heat sealed seams
- Elastic waist with double snap closure

- Zipper fly access
- 2 front slash cargo pockets
- Hammer loop
- Boot access 2-way leg zippers with snap storm covers
- 5043 Sizes: S-5XL
- 5044 Sizes: S-4XL

HI-VIZ HEAVY-DUTY 100% WATERPROOF INSULATED BIB PANT

5046 (V1120950) HI-VIZ ORANGE

5047 (V1120960) HI-VIZ YELLOW/GREEN

- 450 Denier PU coated heavy-duty oxford polyester with 5.9 oz (200 gsm) warm quilted polyester lining
- CSA Z96-09 Class 2 Level 2 (Class 3 when worn with 5020BB/5021BB or 5022/5023)
- 3M[®] Scotchlite[®] reflective tape
- 100% waterproof and windproof
- Double sewn taped and heat sealed seams
- 2-way zipper closure with brass snap closure storm flap

- Double-layer reinforced knees
- Premium adjustable elastic suspenders with quick-release clips
- Elastic waist
- 2 front slash cargo pockets
- Sealed inside chest pocket with pen slot
- Outside chest pocket with flap
- 20" boot access 2-way leg zippers with snap storm covers
- Sizes: S-5XL





WATERPROOF/BREATHABLE PREMIUM HI-VIZ JACKET

5200 (V1130150) HI-VIZ ORANGE 5201 (V1130160) HI-VIZ YELLOW/GREEN

- Waterproof/Breathable 5,000 / 5,000
- Premium 300 Denier oxford polyester
- CSA Z96-09 Class 2 Level 2
- StarTech™ reflective tape
- Taped and heat sealed seams
- Waterproof pit zippers
- Detachable, adjustable drawstring hood, folds into collar
- 2 radiophone clip straps
- Laser-welded waterproof zippers on chest and left arm pocket
- 2 large front zip cargo pockets
- Inner placket cell phone pocket
- Inside zip pocket
- Adjustable drawstring waist and hem
- Embroidery access zipper
- YKK 2-way front zipper with snap placket
- Comfort fleece collar and chin guard
- Elastic wrists with hook and loop closure
- 5200 Sizes: S-4XL
- 5201 Sizes: XS-4XL

WATERPROOF/BREATHABLE PREMIUM 3-in-1 HI-VIZ JACKET WITH FLEECE LINER

5205 (V1130250) HI-VIZ ORANGE 5206 (V1130260) HI-VIZ YELLOW/GREEN 5207 (V1130270) BLACK

Outer jacket:

- Waterproof/Breathable 5,000 / 5,000
- Premium 300 Denier oxford polyester
- 5205/5206 CSA Z96-09 Class 2 Level 2
- 5207 CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- Taped and heat sealed seams
- Waterproof pit zippers
- Detachable, adjustable drawstring hood, folds into collar
- 2 radiophone clip straps
- Laser-welded waterproof zippers on chest and left arm pocket
- 2 large front zip cargo pockets
- Inner placket cell phone pocket
- Inside zip pocket
- Adjustable drawstring waist and hem
- Embroidery access zipper
- YKK 2-way front zipper with snap placket
- Comfort fleece collar and chin guard
- Elastic wrists with hook and loop closure









Inner jacket (included):

- 7 oz (240 gsm) micro fleece
- Reversible zipper front
- 5205/5206 CSA Z96-09 Class 2 Level 2
- 5207 CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- Elastic wrists with loops for attaching outer jacket
- 2 lower pockets
- 5205/5207 Sizes: S-4XL
- 5206 Sizes: XS-4XL





DRY KING® PVC HOODED JACKET

D9010 (V3031140) GREEN D9010 (V3031160) YELLOW

- Heavyweight premium .45 mm PVC/polyester/PVC
- 100% waterproof and windproof
- Triple welded seams
- Double brass snap storm flap closure
- Drawstring hood
- Sizes: S-5XL



DRY KING® PVC JACKET AND HOOD

D9000 (V3030760) YELLOW D9003 (V3030940) hood YELLOW

- Heavyweight premium .45 mm PVC/polyester/PVC
- 100% waterproof and windproof
- Triple welded seams
- Double brass snap storm flap closure
- Front and back vents
- Hood sold separately
- Sizes: S-5XL



TRADITIONAL SOU'WESTER HAT

D5050 (V3035070) BLACK D5050 (V3035060) YELLOW

- Heavy-duty premium SBR vulcanized rubber compound
- 100% waterproof
- Fully cotton lined
- Large brim and lined flap
- Chin tie-down
- Glued and vulcanized for strength
- Sizes: S-XL



DRY KING® PVC REVERSIBLE BIB PANT

D9020 (V3031340) GREEN D9020 (V3031360) YELLOW

- Heavyweight premium .45 mm PVC/polyester/PVC
- 100% waterproof and windproof
- Triple welded seams
- Reversible
- Inside bib zip pocket with pen slot
- Adjustable waist
- Premium elastic suspenders
- Sizes: S-5XL



DRY KING® SOU'WESTER HAT

D9050 (V3031540) GREEN D9050 (V3031560) YELLOW

- Heavyweight premium .45 mm PVC/polyester/PVC
- 100% waterproof
- Fully cotton lined
- Ear flaps
- Chin tie-down
- Heat welded seams
- Sizes: M-2XL



NAILHEAD RIPSTOP TREE PLANTER HOODED JACKET

D8120J (V3040340) GREEN D8120J (V3040360) YELLOW

- 420 Denier oxford polyester with PVC coating
- 100% waterproof and windproof
- Taped and heat sealed seams
- Front and back vents
- 2 large front cargo pockets
- Adjustable wrists
- Detachable hood converts to jacket pouch
- Sizes: XS-5XL







Pouch Packed





NAILHEAD RIPSTOP TREE PLANTER BIB PANT

D8120P (V3040440) GREEN D8120P (V3040460) YELLOW

- 420 Denier oxford polyester with **PVC** coating
- 100% waterproof and windproof
- Taped and heat sealed seams
- Adjustable ankles
- Adjustable suspenders
- Sealed fly access
- Sizes: XS-5XL

TRAIL PAK® HOODED JACKET WITH **WAIST PANT**

101 (V3010140) GREEN 101 (V3010180) NAVY 101 (V3010160) YELLOW

- 2 pieces: hooded jacket and pant
- .35 mm PVC/polyester/PVC
- 100% waterproof and windproof
- Welded seams
- 2 large front cargo pockets
- Retail poly bag with insert card
- Sizes: XS-3XL





SUPPORTED PVC 3-PIECE RAIN SUIT

577 (V3010460) YELLOW

- 3 pieces: jacket, detachable hood and bib pant
- .35 mm PVC/polyester/PVC
- 100% waterproof and windproof
- Sizes: S-5XL

Jacket:

- Vented back and underarms
- 2 large front cargo pockets
- Zipper closure with snap closure storm flap
- Welded seams
- Corduroy collar
- Detachable hood
- Embroidery access zipper

Bib pant:

- Adjustable waist and suspenders
- Snap closure fly access





Pouch Packed



Also available as separates:

SUPPORTED PVC RAIN JACKET

577J (V3010560) YELLOW

Sizes: S-3XL

SUPPORTED PVC RAIN BIB PANT

577P (V3010660) YELLOW

Sizes: S-3XL



Pouch Packed

FOR FR PVC AND PU RAINWEAR, SEE PAGES 31 - 33

48" LONG PVC RAIN COAT

581 (V3010760) YELLOW

- .35 mm PVC/polyester/PVC
- 100% waterproof and windproof
- Welded seams
- Detachable hood
- Zipper closure with snap closure storm flap
- 2 large front cargo pockets
- Corduroy collar
- Sizes: S-4XL

Pouch Packed







HOODED PVC PONCHO

700 (V3050200) CLEAR

- 100% waterproof and windproof
- Welded seams
- Size: Fit-All

Pouch Packed





POLYESTER/PVC RAIN SUIT

583 (V3040140) GREEN 883 (V3040180) NAVY

- Polyester/PVC
- 2 pieces: jacket and waist pant
- 100% waterproof and windproof
- Taped and heat sealed seams
- 2 large front pockets
- 583 Sizes: S-4XL
- 883 Sizes: S-3XL

Pouch Packed







HOODED PONCHO

593 (V3050140) GREEN

- Polyester with PVC backing
- 100% waterproof and windproof
- Taped and heat sealed seams
- Snap side closures
- Drawstring hood
- Size: Fit-All



DRY KING® RAIN JACKET IN STUFF BAG

DK115J (V3060640) GREEN DK115J (V3060680) NAVY DK115J (V3060660) YELLOW

- Polyester with PVC backing
- 100% waterproof and windproof
- Hood folds into collar
- Folds into stuff bag
- Taped and heat sealed seams
- 2 front pockets
- Vented
- Sizes: XS-3XL



DRY KING® RAIN PANT IN STUFF BAG

DK115P (V3060840) GREEN DK115P (V3060880) NAVY DK115P (V3060860) YELLOW

- Polyester with PVC backing
- 100% waterproof and windproof
- Folds into stuff bag
- Taped and heat sealed seams
- 2 pass-through pockets
- Adjustable snap ankles
- Sizes: XS-3XL








WATERPROOF/BREATHABLE RECREATIONAL JACKET

2100 (V3060210) CHARCOAL/BLACK 2101 (V3060220) SLATE GREEN/BLACK

- Tough 300 Denier waterproof/breathable polyester
- Waterproof / Breathable 5,000 / 3,000
- Taped and heat sealed seams
- 2 waterproof zip chest pockets
- 2 large front zip cargo pockets
- Cell phone pocket
- Inside zip iPod pocket
- Comfort fleece collar and chin guard
- Adjustable drawstring waist, hem and wrists
- Embroidery access zipper
- Sizes: S-5XL





D2020 (V3060470) BLACK

- Polyester with PVC backing
- 100% waterproof and windproof
- Taped and heat sealed seams
- Full side zippers
- Nylon lined
- Elastic waist
- 1 rear pocket
- Sizes: XS-3XL



DRY KING® STORM PANT

150P (V3060170) BLACK

- Polyester with PVC backing
- 100% waterproof and windproof
- Taped and heat sealed seams
- Elastic waist
- 2 pass-through pockets
- Adjustable snap ankles
- Sizes: XS-3XL



PREMIUM SOFT SHELL INSULATED JACKET

4036 (V3070170) BLACK

4036 (V3070110) TURKISH BROWN

- Premium 4-way soft shell stretch fabric
- Breathable and water-resistant
- Winter polyfill insulated
- Embroidery access zipper
- Comfort fleece collar and chin guard
- Detachable hood
- Adjustable drawstring waist, hem and wrists
- 3 front pockets
- Inside zipper pocket with headphone exit
- Sizes: XS-3XL





QUILTED FLANNEL SHIRT PREPACK

400 (V3080290) RED-BLACK-WHITE PLAID, GREY-BLACK-WHITE PLAID and BROWN-GREY-WHITE PLAID 24 units/cs

- Poly/cotton
- 3.5 oz (120 gsm) poly filling
- Pearl snap buttons
- 2 chest pockets
- Sizes: **PREPACK** (5-M, 8-L, 8-XL, 3-2XL)



POLAR FLEECE HOODED SHIRT/JACKET PREPACK

420 (V3080590) STEEL BLUE-GREY-BLACK PLAID and BLACK-GREY-WHITE PLAID

421 (V3080570) BLACK

12 units/cs

- Boa lined
- lined Elastic cuffs
- Zipper closure
- Boa lined drawstring hood
- 2 large front pouch pockets
- Sizes: **PREPACK** (2-M, 4-L, 4-XL, 2-2XL)



QUILTED HOODED POLAR FLEECE SHIRT PREPACK

415A (V3080391) NAVY-GREY-TAN PLAID and BLACK 415B (V3080392) CHARCOAL PLAID and ROYAL-BLACK PLAID 12 units/cs

- Boa lined
- Fooler front with button closure
- Mock hoodie inner with zipper closure
- Fleece lined drawstring hood
- 2 chest pockets, elastic wrists
- Sizes: **PREPACK** (2-M, 4-L, 4-XL, 2-2XL)



REVERSIBLE FLEECE HOODIE

418 (V3080410) BLACK-GREY-WHITE PLAID

- Anti-pill polar fleece
- Reversible to black fleece inner
- 2 slash pockets, drawstring hood
- Full front reversible zipper
- Elastic rib cuffs and hem
- Sizes: S-4XL



QUILTED HOODED POLAR FLEECE VEST

414 (V3080690) **BLACK-GREY-WHITE PLAID**

- Boa lined
- Fooler front with button closure
- Mock hoodie inner with zipper closure
- Fleece lined drawstring hood
- 2 chest pockets
- Sizes: S-4XL



QUILTED HOODED POLAR FLEECE SHIRT

415SS (V3080393) **ROYAL-BLACK PLAID**

- Boa lined
- Fooler front with button closure
- Mock hoodie inner with zipper closure
- Fleece lined drawstring hood
- 2 chest pockets, elastic wrists
- Sizes: S-4XL





SHERPA FLEECE PANT D1125 (V3090370) BLACK

- Premium anti-pill fleece
- 2 slash pockets
- Elastic waist
- Sizes: S-5XL



SHERPA FLEECE JACKET

D1100 (V3090170) BLACK

- Premium anti-pill fleece
- 2 slash pockets
- Zips into and converts DK400J into 3-in-1 (optional, sold separately)

Adjustable drawstring waist and elastic wrists

Sizes: XXS-5XL



SHERPA FLEECE VEST

D1150 (V3090570) BLACK

- Premium anti-pill fleece
- 2 slash pockets
- Adjustable drawstring hem
- Zips into and converts DK400J into 3-in-1 (optional, sold separately)
- Sizes: XS-3XL









MIDWEIGHT FLEECE UNDERWEAR SET

D2200M (V3100270) BLACK

- Moisture wicking
- 2-way stretch fabric, 5.5 oz (190 gsm)
- Top and bottom packed in Pioneer vented stuff bag
- Elastic neck ribbing, cuffs and ankles
- Comfort seams
- Fly access
- Sizes: XS-3XL

POLYPROPYLENE UNDERWEAR SET

D2300M (V3100480) NAVY D2300M (V3100470) BLACK

- Moisture wicking
- Comfortable first layer
- Zipper neck
- Top and bottom packed in Pioneer vented stuff bag
- Fly access
- Sizes: XS-5XL

ATV JACKET

DK400J (V3110170) BLACK

- 100% waterproof and windproof
- Tough nylon construction
- Extra zipper and sleeve tab accommodate D1100/D1150 fleece liner (optional, sold separately)
- Pit zippers
- Back zipper vent
- Detachable hood
- Black 1000 Denier Cordura®-reinforced shoulders
- Fleece lined hand-warmer pockets
- Adjustable inner and outer wrists
- Reflective piping
- Sizes: XS-3XL





ATV PANT

DK400P (V3110270) BLACK

- 100% waterproof and windproof
- Tough nylon construction
- Black 1000 Denier Cordura®-reinforced knees
- Elastic belt with quick-release buckle
- Heavy-duty adjustable elastic suspenders
- Adjustable ankles
- Reflective piping at sides
- Sizes: XS-5XL





FOR FR HEADWEAR, SEE PAGES 20 AND 21

Now sold by dozen or by each









Thinsulate

STORM MASTER® BALACLAVA

560-A (V4010170) BLACK

- 100% acrylic knitted
- 1 hole with side slits
- Size: Fit-All

STORM MASTER® BALACLAVA

560-B (V4010270) BLACK

- 100% acrylic knitted
- 3 holes with side slits
- Size: Fit-All



5560 (V4020270) BLACK

- SOFT60 Thermolite® lined
- 3 holes
- Size: Fit-All









STORM MASTER® THERMOLITE® BALACLAVA

5562 (V4020170) BLACK

- SOFT60 Thermolite® lined
- 1 hole
- Size: Fit-All

STORM MASTER® THINSULATE® BALACLAVA

5568 (V4020150) HI-VIZ ORANGE

- 40 g Thinsulate® lined
- 1 hole
- Size: Fit-All

STORM MASTER® THINSULATE® BALACLAVA

5569 (V4020250) HI-VIZ ORANGE

- 40 g Thinsulate® lined
- 3 holes
- Size: Fit-All



Now sold by dozen or by each





CHECKO LITE

STORM MASTER® THERMOLITE® TOQUE

5561 (V4020510) BEIGE

- 50% wool, 50% acrylic
- SOFT60 Thermolite® lined
- Size: Fit-All

STORM MASTER® THERMOLITE® TOQUE

5563 (V4020370) BLACK 5564 (V4020350) HI-VIZ ORANGE 5567 (V4020360) HI-VIZ YELLOW/GREEN

- 100% acrylic
- SOFT60 Thermolite® lined
- Size: Fit-All



HI-VIZ BALL CAP

147 (V4020650) HI-VIZ ORANGE 148 (V4020660) HI-VIZ YELLOW/GREEN 6/CS

- Breathable material
- Reflective binding on edge
- Adjustable hook and loop closure
- Size: Fit-All



STORM MASTER® THERMOLITE® BEANIE

5570 (V4020770) BLACK 5571 (V4020750) HI-VIZ ORANGE 5572 (V4020760) HI-VIZ YELLOW/GREEN

- 100% acrylic
- SOFT60 Thermolite® lined
- Size: Fit-All



STORM MASTER® HAT LINER/WINDGUARD

561 (V4010410) NAVY 562 (V4010420) RED

- 100% acrylic knitted
- Size: Fit-All



REVERSIBLE MICRO FLEECE HOOD

5502 (V4030270) BLACK

- Lightweight 2-layer micro fleece
- Reversible, black to hi-viz orange
- Snugger fit for superior comfort
- Hangable feature card
- Size: Fit-All





SINGLE-LAYER MICRO FLEECE HOOD WITH FACE MASK

5503 (V4030370) BLACK

- Heavyweight micro fleece for maximum warmth
- Elastic around face line
- Super-soft face mask
- Hangable feature card
- Size: Fit-All



MICRO FLEECE 3-IN-1 NECK WARMER

5504 (V4030470) BLACK

- Medium weight 2-layer micro fleece
- 3-in-1 design, converts from neck warmer to hat or face mask
- Elastic drawstring with toggle
- Hangable feature card
- Size: Fit-All





5506 (V4030670) BLACK

- Medium weight 2-layer micro fleece
- Extended bib coverage
- Convenient zipper front
- Hangable feature card
- Size: Fit-All



Now sold by dozen or by each











6-IN-1 HOOD

5505 (V4030570) BLACK

- Soft 2-layer fleece with bonded inner waterproof layer
- Waterproof and windproof
- 6-in-1 design, converts to balaclava, neck warmer, face mask, beanie, scarf or bag
- Drawstring with toggle around face line and at the bottom
- Hangable display box
- Size: Fit-All

Converts to 6 different formats









1. Balaclava

2. Hood

3. Neck Warmer / Face Mask

4. Scarf







6. Bag



'ULTRA COMFORT' MODEL

LEATHER 6" WORK BOOT

1025 (V4610170) BLACK 1026 (V4610130) BROWN

- CSA Class 1 steel toe/steel plate with bumper toe cap
- CSA Omega electric shock resistant
- Thermolite® thermal barrier
- Double density, oil-resistant PU sole
- Superior comfort and fit
- 12 Sizes: 7-11 (full and half sizes), 12, 13, 14





LEATHER 8" WORK BOOT

1027 (V4610370) BLACK 1028 (V4610330) BROWN

- CSA Class 1 steel toe/steel plate with bumper toe cap
- CSA Omega electric shock resistant
- Thermolite® thermal barrier
- Double density, oil-resistant PU sole
- Superior comfort and fit
- 12 Sizes: 7-11 (full and half sizes), 12, 13, 14





'FLEX LITE' MODEL

LEATHER 6" WORK BOOT

1031 (V4610570) BLACK 1032 (V4610530) BROWN

- CSA Class 1 steel toe/steel plate
- CSA Omega electric shock resistant
- Flex-Lite design
- Dust-proof tongue
- 11 Sizes: 7-14 (half sizes 8.5, 9.5, 10.5)





LEATHER 8" WORK BOOT

1033 (V4610770) BLACK 1034 (V4610730) BROWN

- CSA Class 1 steel toe/steel plate
- CSA Omega electric shock resistant
- Flex-Lite design
- Dust-proof tongue
- 11 Sizes: 7-14 (half sizes 8.5, 9.5, 10.5)





'KHYBER' METAL-FREE MODEL



COMPOSITE TOE/PLATE LEATHER SAFETY BOOT

1050 (V4610870) BLACK 1051 (V4610830) BROWN

- Premium full-grain 2.0 mm waterproof leather upper
- Waterproof/Breathable design
- CSA composite toe and plate
- CSA Omega shock resistant
- 3M® B200 Thinsulate® insulation
- Metal-free construction
- Dual density oil-resistant PU sole
- Removable polyurethane comfort insole
- Dura nylon 1200 Denier breathable sidewalls
- TPU protective toe cap
- 12 Sizes: 7-11 (full and half sizes), 12, 13, 14





'Khyber' Metal-Free Safety Boot



PVC 15" SOFT TOE BOOT

1011 (V4710170) BLACK

- Generous, comfortable fit
- Durable and flexible PVC shaft
- Heavy-duty PVC compounded sole
- Puncture-resistant and tear-resistant
- 2 cut-off lines for shorter boot formats
- Sizes: 3-13





PVC 15" STEEL TOE/STEEL PLATE BOOT

1022 (V4710270) BLACK

- CSA Class 1 steel toe/steel plate
- Static dissipative
- Generous, comfortable fit
- Durable and flexible PVC shaft
- Heavy-duty PVC compounded sole
- Puncture-resistant and tear-resistant
- 2 cut-off lines for shorter boot formats
- Sizes: 3-13





BULLY 15" STEEL TOE/STEEL PLATE BOOT

9679 (V4710580) NAVY

- CSA Class 1 steel toe/steel plate
- Premium quality
- GelFlex® shock-absorbing heel and midsole
- UltraFlex oil-resistant and acidresistant compound
- Removable moulded insole
- Sizes: 7-14



SURSTIK 15" BOOT

9685 (V4710680) NAVY

- Plain toe
- GelFlex® shock-absorbing heel and midsole
- UltraFlex oil-resistant and acidresistant compound
- Advanced SurStik slip resistant sole
- Removable moulded insole
- Sizes: 7-14





CHEST WADER

1041 (V4720270) plain toe BLACK 1043 (V4720470) steel toe/plate BLACK

- 1043 CSA Class 1 steel toe/steel plate and static dissipative
- Canvas upper with heavy-duty .65 mm PVC coating
- Adjustable elastic suspenders
- Adjustable drawstring/toggle waist, front chest pouch
- PVC/nitrile outsole
- High-frequency heat-sealed for 100% waterproof seams
- Waist straps
- Chemical resistant
- Slip-resistant tread pattern
- Sizes: 8-13



FELT LINED 13" HUNTER BOOT

8562 (V4710340) FOREST GREEN

- Plain toe
- 3-component inner boot rated to -40°C/-40°F
- High-quality TPR construction
- Long-wearing, high-traction sole
- ESR rated
- Sizes: 6-14





FELT LINED 13" HUNTER BOOT

8564 (V4710470) BLACK

- CSA Class 1 steel toe/steel plate
- 3-component inner boot rated to -40°C/-40°F
- High-quality TPR construction
- Long-wearing, high-traction sole
- ESR/EH rated
- 1" snow cuff
- Sizes: 6-14

Plain toe and steel toe waders packed in full colour boxes



HIP WADER

1040 (V4720170) plain toe BLACK 1042 (V4720370) steel toe/plate BLACK

- 1042 CSA Class 1 steel toe/steel plate and static dissipative
- Canvas upper with heavy-duty .65 mm PVC coating
- PVC/nitrile outsole
- High-frequency heat-sealed for 100% waterproof seams
- Waist straps
- Chemical resistant
- Slip-resistant tread pattern
- Sizes: 8-13







RADIANTEX[™] INSOLE P411 (V4800510)

6 pr/cs

- Dual layer warm felt design
- First layer 510 g grey felt polypro/polyester and acrylic fibres
- Second layer 510 g white polypro fibres
- Layers needled-punched together with a Radiantex™ metallic heat-reflecting film
- Sizes: 6-13



PIONEER BOOT SOCKETTE

P305 (V4800410) GREEN

Pair

- 2-layer thermo system: outside cotton to absorb moisture and inside acrylic fleece for insulation
- Elastic ankle for good fit
- Reinforced heel
- For all rubber, PVC and leather work boots
- 6 Sizes: 4/5, 6/7, 8/9, 10/11, 12/13, 14/15



DeCLAREMONT™ BOOT SOCKETTE

120 (V4800110) GREY

Pair

- 3 layers for sturdiness, warmth and moisture wicking
- Absorbs foot perspiration
- For all rubber, PVC and leather work boots
- Sizes: 7, 9, 11, 12



ACRYLIC BLEND SOCK 3-PACK 123 (V4800290) BLACK, NAVY and BROWN

3-pack
Thermal acrylic blend (80% acrylic, 20% nylon)

Size: Fit-All



WOOL BLEND SOCK

124 (V4800390) VARIETY PREPACK (BLACK, NAVY and GREY)

- Thermal wool blend (50% wool, 30% acrylic, 20% nylon)
- Size: Fit-All





SEAMLESS KNIT LATEX GLOVE

5311 (V5010170) BLACK

By dozen or 6 dz/cs

- Crinkle palm
- Black thermal knit
- Black latex coated palm
- Sizes: S-XL



SEAMLESS KNIT LATEX GLOVE

5322 (V5010260) HI-VIZ YELLOW/GREEN By dozen or 6 dz/cs

- Crinkle palm
- Brushed thermal knit
- Black latex coated palm
- Sizes: S-XL



SEAMLESS KNIT LATEX GLOVE

5330 (V5010340) GREY

By dozen or 10 dz/cs

- Crinkle palm
- Charcoal recycled poly/cotton knit
- Blue latex coated palm
- Sizes: S-XL

SEAMLESS KNIT CRISS-CROSS GLOVE

544 (V5010650) ORANGE *By dozen or 10 dz/cs*

- Crinkle palm
- 100% nylon knit
- PVC criss-cross
- Sizes: S-XL



SEAMLESS LATEX GLOVE

5333 (V5010440) GREY

By dozen or 10 dz/cs

- Crinkle palm
- Grey polyester knit
- Blue latex coated palm
- Sizes: S-XL



DOUBLE NITRILE SEAMLESS KNIT WINTER GRIP GLOVE

5355 (V5010560) HI-VIZ YELLOW/GREEN *1 dz/cs*

- Unique double nitrile palm coating:
 - Inner nitrile layer for oil/chemical protection
 - Outer sand nitrile finish for gripping power
- 2-layer insulated liner provides warmth and flexibility:
 - Inner warm soft brushed acrylic liner
- Outer seamless stretch liner
- Glove design soft and flexible to -50°C
- Insulated comfort, grip, dexterity, and oil/ chemical resistance
- Hang carded with UPC
- Sizes: M-XL









FITTER'S COWGRAIN GLOVE

531 (V5020100) YELLOW BACK 531W (V5020200) WOMEN'S By dozen or 10 dz/cs

- One-piece palm
- Outside elastic, rubberized cuff
- 531 Size: L
- 531W Size: Women's L



FITTER'S COWGRAIN GLOVE

536 (V5020400) YELLOW STRIPE BACK 536U (V5021000) UNLINED By dozen or 10 dz/cs

- One-piece palm
- Inside elastic, rubberized cuff
- Size: L



FITTER'S COWGRAIN GLOVE

536P (V5020900) YELLOW STRIPE BACK By dozen or 10 dz/cs

- Patch palm
- Inside elastic, rubberized cuff
- Size: L

FITTER'S COWGRAIN GLOVE

536HVO (V5020500) HI-VIZ ORANGE BACK 536HVYG (V5020700) HI-VIZ YELLOW/GREEN BACK By dozen or 10 dz/cs

- 3M® Scotchlite® reflective tape
- One-piece palm
- Inside elastic, rubberized cuff
- Size: L





FITTER'S COWGRAIN GLOVE

537 (V5021100) YELLOW STRIPE BACK 537XL (V5021500) YELLOW STRIPE BACK 537U (V5021400) UNLINED

By dozen or 10 dz/cs

- One-piece palm
- Outside elastic, polyethylene cuff
- 537/537U –Size: L
- 537XL Size: XL



FITTER'S COWGRAIN GLOVE

836 (V5022400) YELLOW STRIPE BACK 836U (V5022500) UNLINED

By dozen or 10 dz/cs

- One-piece palm
- 4.5" cuff
- Outside elastic, rubberized cuff
- Size: L





ROPER'S COWGRAIN GLOVE 543 (V5021700) BEIGE By dozen or 10 dz/cs

Snap back

Sizes: S-XL



DRIVER'S COWGRAIN GLOVE 535 (V5020300) BEIGE

By dozen or 10 dz/cs
Unlined

- Inside elastic
- Sizes: S-XL





MECHANIC'S STYLE ERGONOMIC GLOVE

890 (V5040700) GOLD PALM, BLACK BACK

1 dz/cs

- Gold goatgrain one-piece palm
- Black spandex back
- Hang carded with UPC
- Sizes: S-XL



906 (V5030500) BLACK PALM, BLACK BACK

6 pr/cs

- Japanese PU 'EN 420' abrasion-resistant palm
- Breathable spandex stretch back
- Neoprene adjustable wrist and knuckle protection
- Superior dexterity and comfort
- 'EN 420' Level 2 abrasion resistance
- Hang carded with UPC
- Sizes: S-XL





OIL PATCH ARMOURED BACK ERGONOMIC GLOVE 900 (V5030100) GREY PALM, ORANGE BACK

6 pr/cs

- Double layer palm, bottom layer nitrile coated
- Gripping silicon dots on palm
- Oil resistant
- TPR armour protects hands and fingers
- Tough Kevlar® reinforced thumb crotch
- Neoprene stretch cuff
- Water-repellent 4-way stretch back fabric
- ID rubber label
- Hang carded with UPC
- Sizes: M-2XL





MECHANIC'S STYLE THINSULATE® LINED ERGONOMIC GLOVE

891 (V5040900) GOLD PALM, BLACK BACK

1 dz/cs

- Gold goatgrain one-piece palm
- Black spandex back
- 100 g Thinsulate® warm lining
- Hang carded with UPC
- Sizes: S-XL





OIL PATCH ARMOURED BACK LINED ERGONOMIC GLOVE

901 (V5030300) GREY PALM, ORANGE BACK

6 pr/cs

- Double layer palm, bottom layer nitrile coated
- Gripping silicon dots on palm
- Oil resistant
- TPR armour protects hands and fingers
- Tough Kevlar® reinforced thumb crotch
- Neoprene stretch cuff
- Water-repellent 4-way stretch back fabric
- ID rubber label
- Hang carded with UPC
- Sizes: M-2XL





FITTER'S COWSPLIT GLOVE

555 (V5022200) GREEN STRIPE BACK

By dozen or 10 dz/cs

- Grey industrial grade cowsplit one-piece palm
- Inside elastic, rubberized cuff
- Size: L



FITTER'S COWSPLIT GLOVE 547 (V5022100) YELLOW STRIPE BACK *By dozen or 10 dz/cs*

- Grey superior grade cowsplit one-piece palm
- Inside elastic, rubberized cuff
- Size: L



FITTER'S COWSPLIT GLOVE 834 (V5022300) BLUE STRIPE BACK By dozen or 10 dz/cs

- Grey cowsplit patch palm
- Inside elastic, pasted cuff
- Size: L



FITTER'S COWSPLIT GLOVE

545 (V5022000) YELLOW BACK

By dozen or 6 dz/cs

- Grey cowsplit blue double palm
- Inside elastic, rubberized cuff
- Size: L



FITTER'S COWSPLIT GLOVE

845 (V5022600) GREEN STRIPE BACK

By dozen or 6 dz/cs

- Grey cowsplit blue double palm
- Inside elastic, rubberized cuff
- Size: L







WELDER'S COWGRAIN GLOVE 542 (V5050100) GOLD BACK

By dozen or 6 dz/cs

- Beige cowgrain palm
- Gold cowsplit back
- Sizes: M-XL



WELDER'S COWGRAIN GLOVE

5441 (V5050200) GREY BACK By dozen or 10 dz/cs

- Beige cowgrain palm
- Grey cowsplit back
- Sizes: M-XL



WELDER'S COWSPLIT GLOVE

844 (V5050300) GOLD BACK By dozen or 6 dz/cs

- Grey cowsplit palm
- Gold cowsplit back
- Cotton lined
- Kevlar® stitching
- Sizes: M-XL






WELDER'S COWSPLIT GLOVE

830 (V5050500) GREY By dozen or 6 dz/cs

- Grey cowsplit
- Fleece lined palm, fingers and thumb
- Navy cotton lined 14" cuff, hemmed in self fabric
- Sizes: M-2XL







JERSEY KNIT WRIST GLOVE 525 (V5060100) BROWN By dozen or 25 dz/cs

- Unlined
- Sizes: L



SALT AND PEPPER GLOVE 533 (V5060200) SALT AND PEPPER *By dozen or 25 dz/cs*

- Poly/cotton jersey
- Knit wrist
- Size: L



COTTON JERSEY KNIT WRIST GLOVE 551 (V5060500) NATURAL

By dozen or 25 dz/cs

- 7 oz (237 gsm)
- Size: L



KNITTED POLY/ COTTON LINER 540 (V5060300) WHITE By dozen or 25 dz/cs

- 17.5 oz (600 gsm)
- Sizes: S-XL



KNITTED POLY/ COTTON LINER

541 (V5060400) NATURAL *By dozen or 25 dz/cs*

- 17.5 oz (600 gsm)
- Sizes: L-XL



NYLON KNIT GLOVE 568 (V5060700) WHITE By dozen or 20 dz/cs

- 100% nylon
- Sizes: S-XL



NYLON/POLY KNIT GLOVE

5688 (V5060820) WHITE By dozen or 20 dz/cs

- 70% nylon, 30% polyester
- Sizes: S-XL









KNITTED COTTON/POLY GLOVE, DOTS ON PALM

501 (V5060910) UNBLEACHED 502 (V5060920) WHITE By dozen or 24 dz/cs

- 65% cotton, 35% polyester
- 16 oz (550 gsm) liner
- Black 150 g PVC dots on palm
- Sizes: S-XL



KNITTED COTTON/POLY GLOVE, DOTS ON BOTH SIDES

503 (V5060930) UNBLEACHED 504 (V5060940) WHITE

- By dozen or 24 dz/cs
- 65% cotton, 35% polyester
- 16 oz (550 gsm) liner
- Black 300 g PVC dots on palm and back
- Sizes: S-XL







PVC GLOVE 556 (V5070160) YELLOW By dozen or 10 dz/cs

- Knit wrist
- Size: L



PVC GLOVE 558 (V5070260) YELLOW By dozen or 10 dz/cs ■ 12" gauntlet

- Size: L



PVC GLOVE 559 (V5070360) YELLOW By dozen or 10 dz/cs ■ 14" gauntlet

- Size: L



PVC DOUBLE-DIP GLOVE 659 (V5070400) GREEN By dozen or 10 dz/cs

- 14" gauntlet
- Sandy finish
- Size: L



PVC FOAM LINED GLOVE 846 (V5070650) ORANGE

By dozen or 6 dz/cs

- Rough pebble finish
- Safety cuff
- Size: L



PVC FOAM LINED GLOVE 847 (V5070750) ORANGE By dozen or 6 dz/cs

- 12" gauntlet
- Rough pebble finish
- Size: L







INSULATED FITTER'S COWGRAIN GLOVE

530B (V5080100) YELLOW BACK By dozen or 6 dz/cs

- One-piece palm
- Boa lined
- Outside elastic, rubberized cuff
- Size: L



INSULATED FITTER'S COWGRAIN GLOVE

537FLRF (V5080900) YELLOW BACK By dozen or 6 dz/cs

- One-piece palm
- Foam lined red flannel
- Outside elastic, polyethylene cuff
- Size: L



INSULATED FITTER'S COWGRAIN GLOVE

536PL (V5080800) YELLOW STRIPE BACK By dozen or 6 dz/cs

- Patch palm
- Fully fleece lined
- Inside elastic, rubberized cuff
- Size: L









INSULATED FITTER'S COWGRAIN GLOVE

536L (V5080500) YELLOW BACK 536LW (V5080600) WOMEN'S

By dozen or 6 dz/cs

- One-piece palm
- Light fleece lining
- Outside elastic, polyethylene cuff
- 536L Size: L
- 536LW Size: Women's L

INSULATED FITTER'S COWGRAIN GLOVE

632 (V5081400) YELLOW BACK 632W (V5081500) WOMEN'S

By dozen or 6 dz/cs

- One-piece palm
- 100 g Thinsulate® lined
- Outside elastic, rubberized cuff
- 632 Sizes: L-2XL
- 632W Size: Women's L



INSULATED FITTER'S COWGRAIN GLOVE

536KN (V5080400) GREEN STRIPE BACK By dozen or 10 dz/cs

- One-piece palm
- Knit cuff
- Fully fleece lined
- Size: L



INSULATED FITTER'S PIGGRAIN GLOVE

627PB (V5082000) GREEN BACK By dozen or 6 dz/cs

- Beige piggrain patch palm
- Inside elastic, rubberized cuff
- Boa linedSize: L





INSULATED FITTER'S PIGGRAIN GLOVE

6632PT (V5082100) BLUE BACK

By dozen or 6 dz/cs

- Beige piggrain patch palm
- Inside elastic, rubberized cuff
- Size: L





INSULATED DRIVER'S COWGRAIN GLOVE

535FLRF (V5080200) BEIGE By dozen or 6 dz/cs

- One-piece palm
- Split back
- Foam lined red fleece
- Inside elastic
- Sizes: S-XL





INSULATED DRIVER'S COWGRAIN GLOVE

535TL (V5080300) BEIGE By dozen or 6 dz/cs

- One-piece palm
- Split back100 g Thinsulate® lined
- Inside elastic
- Sizes: S-XL











INSULATED FITTER'S COWSPLIT GLOVE

555FLRF (V5081000) YELLOW BACK By dozen or 6 dz/cs

- Grey one-piece palm
- Foam lined red flannel
- Outside elastic, rubberized cuff
- Size: L



INSULATED FITTER'S COWSPLIT GLOVE

630 (V5081200) YELLOW BACK

By dozen or 6 dz/cs

- Blue one-piece palm
- 100 g Thinsulate® lined
- Inside elastic, rubberized cuff
- Size: L





631BR (V5081300) GREEN BACK

By dozen or 6 dz/cs

- Brown one-piece palm
- 100 g Thinsulate® lined
- Inside elastic, rubberized cuff
- Size: L



INSULATED FITTER'S COWSPLIT GLOVE

655 (V5081600) YELLOW BACK By dozen or 6 dz/cs

- Blue one-piece palm
- Boa lined
- Outside elastic, rubberized cuff
- Size: L



INSULATED FITTER'S COWSPLIT GLOVE

656 (V5081700) GREEN BACK By dozen or 6 dz/cs

- Brown one-piece palm
- Boa lined
- Outside elastic, rubberized cuff

Size: L



INSULATED FITTER'S COWSPLIT GLOVE

658 (V5081800) RED BACK By dozen or 6 dz/cs

- Black one-piece palm
- Boa lined
- Inside elastic, rubberized cuff
- Size: L




Common Features

- Soft, high-quality, injection-moulded PVC
- Hi-viz colour with UV protection
- One-piece design for strength and durability
- Bounce back to shape when run over
- Superior strength and flexibility
- Durable heavy, black rubberized bases
- Stable, wide-body design
- Stackable for easy storage
- 100% recyclable design



Cones and delineators all withstand highspeed impact and bounce back to shape when crushed.



CONNECTING ROD

189 (V6201010) RED AND WHITE

- Single-side extendable from 3.3 to 7 ft (1 to 2.13 m)
- Durable, lightweight, retractable
- For temporary barricading applications
- Reflective bands for enhanced visibility
- Loops at each end for use with any standard traffic cone



183

18" PREMIUM PVC FLEXIBLE **SAFETY CONE**

181

181 (V6200350) HI-VIZ ORANGE 181P (V6200450) HI-VIZ ORANGE

- 181 Factory-attached high-luminance band for superior visibility
- 181P No bands
- **3** lbs (1.36 kg)
- Size: 18" (45 cm)

12" PREMIUM PVC FLEXIBLE SAFETY CONE 180P (V6200150) HI-VIZ ORANGE

- 1.32 lbs (0.6 kg)
- Size: 12" (30 cm)

Bases sold separately. Choose the base weight to best suit your needs.

181P

DELINEATOR POST (Base sold separately)

191 (V6210150) HI-VIZ ORANGE 192 (V6210250) HI-VIZ ORANGE

- 191 T-top
- 192 Loop top
- High-visibility reflective post
- 2 4" high-intensity reflective bands at the top of the post
- 2-piece construction for compact storage
- UV inhibitors resist fading
- 192 Easy-carry hand hold on pole bottom
- Top can be used to tie barricade tape or to support standard barricade lights
- **191 47**
- **192-44**"



183 (V6200550) HI-VIZ ORANGE 183P (V6200650) HI-VIZ ORANGE

- 183 Factory-attached high-luminance 4" and 6" bands for superior visibility
- 183P No bands
- 7 lbs (3.1 kg)
- Size: 28" (70 cm)

DELINEATOR BASE

201 (V6220170) BLACK 202 (V6220270) BLACK 203 (V6220370) BLACK

- Rubber

- 203 17.6 lbs (8 kg)



Delineator posts and bases sold separately











BARRICADE LIGHT

177 (V6020260) YELLOW

1 dz/cs

- Can be used with delineator post, traffic drum or A-frame barricade using bolt in middle of battery holder
- Tough 7" polycarbonate lens with advanced optics for increased visibility
- Tamper-proof switch
- On at dusk, off at dawn photo sensor
- Two settings, steady on or flashing
- LED flashing rate of 65 times per minute
- 360° swivel head
- Uses 2 4R25 6V lantern batteries (not included)

BARRICADE LIGHT

176 (V6020360) YELLOW

1 dz/cs


- Can be used with delineator post, traffic drum or A-frame barricade using bolt in middle of battery holder
- 7" standard lens with advanced optics for increased visibility
- Tamper-proof switch
- On at dusk, off at dawn photo sensor
- Two settings, steady on or flashing
- LED flashing rate of 65 times per minute
- 360° swivel head
- Uses 4 D-cell batteries (not included)

EXTRA-LONG 4.5" BOLT


175B (V6020900)

• For attaching barricade lights to delineator posts and barricades

301



■ 777 - 50'x 4' roll



HEAVY-DUTY SNOW/SAFETY FENCE

777 (V6010250) ORANGE 778 (V6010450) ORANGE

- Strong, heavy-duty construction
 - resistant to wind and blowing snow ■ 778 - 100'x 4' roll
- 280 gsm high-density polyethylene Heavy-duty extruded PE provides extra strength







302

BILINGUAL JANITORIAL FLOOR SIGN

301 (V6300160) YELLOW

302 (V6300260) YELLOW

- 301 CAUTION WET FLOOR/ATTENTION PLANCHER MOUILLÉ
- 302 CAUTION/ATTENTION
- Black safety messages on both sides
- Heavy-duty, durable reinforced design
- Deluxe hinge/carry handle
- Easy to deploy A-frame design folds flat for easy storage
- **2.9 lbs (1.3 kg)**
- 29" (68 cm) H x 12" (30 cm) W





CLOTHING DISPLAY RACK

Z4WRWW (V6040300) with wheels Z4WRNW (V6040100) without wheels

- Pre-owned
- 4 fully height-adjustable 20" hanger arms
- Chrome finish
- Pioneer clamp-on sign holder and sign included
- Disassembles to fit into 48" x 27" x 5.5" box
- Displays up to 80 safety shirts/vests or 48 jackets at one time



CLOTHES HANGER

1130121 (V6040600) BLACK

- 19" deluxe wishbone hanger
- Special wide shoulder design
- Pioneer logo



WATERFALL DISPLAY

171001 (V6040700) BLACK

- 6-ball waterfall
- Fits in slat wall
- Ideal for wall clothing displays on slat wall

SIDE/BACK WALL DISPLAY RACK WITH WHEELS

ZSDR (V6040500)

- Adjustable metal racking with wheels
- 4-sided display complete with clothing hang bars for all 4 sides
- Pre-owned
- Panelled backing







CLOTHING DISPLAY RACK

DISPLAY RACK (V6041000)

- Collapsible
- 1" chrome tubing
- 50" hang rail with a 12" pull-out extension at each end
- Adjustable height at 55", 60" and 65"
- 4 wheels
- Can fold down flat or be reassembled in less than a minute







350 (V7030200) WHITE *20/box (12 boxes/case)*

- Exceptional inner filter for increased breathability
- Adjustable aluminum nose clip
- Ultrasonic welded head straps for secure staplefree seal
- Adjustable fit, M to L



N95 CONE-SHAPED RESPIRATOR WITH VALVE

355 (V7030300) WHITE

10/box (12 boxes/case)

- Exceptional inner filter for increased breathability
- Adjustable aluminum nose clip
- Ultrasonic welded head straps for secure staplefree seal
- One-way valve for easy exhalation
- Adjustable fit, M to L



N95 FLAT FOLDED RESPIRATOR

360 (V7030400) WHITE

20/box (12 boxes/case)

- Foldable, easy to carry
- Soft outer layer for comfort
- Adjustable aluminum concealed nose clip
- Fully adjustable loop head straps
- Adjustable fit, M to L



NUISANCE DUST MASK

390 (V7030900) WHITE

50/box (12 boxes/case)

- Premium cone-shaped mask
- Pliable aluminum nose clip
- Ultrasonic welded latex and staple-free head straps
- Adjustable fit, M to L





SIZING CHART

Men's Body Measurements (not garment measurements)

Jackets, C	oats	, Cov	erall	s																	
	XS	9	5	٨	/	ı		Х	L	2	(L	32	(L	4)	(L	52	ΧL	6)	(L	7)	ΚL
Size	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72
Chest	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72
Waist	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
Arms	32	3	3	3	4	3	5	3	6	3	7	3	8	3	9	4	0	4	1	4	2
Hip	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72

Pants, Ov	eralls	5																			
	XS	!	5	٨	/	L	_	Х	L	2)	(L	3)	(L	4)	(L	5)	ΧL	62	(L	7)	KL
Size	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
Waist	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
Hip	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72
Inseam	30.5	3	1	31	.5	3	2	32	2.5	3	3	33	3.5	3	4	34	1.5	3	5	35	5.5

Shirts (select size by neck for closed collar shirts, by chest for open collar shirts)										
	S	М	L	XL	2XL	3XL	4XL	5XL	6XL	7XL
Neck	14-14.5	15-15.5	16-16.5	17-17.5	18-18.5	19-19.5	20-20.5	21-21.5	22-22.5	23-23.5
Chest	34	38	42	46	50	54	58	62	66	70
Sleeve	33.5	34	34.5	35	35.5	36	36.5	37	37.5	38

Women's Garment Sizing						
	XS	S	М	L	XL	2XL
Chest	32	34	36	39	42	45
Waist	24	26	28	31	34	37
Arms	29	30	31	32	33	34
Hip	35	37	39	42	45	48
Inseam	27	28	29	30	31	32

All measurements in inches.

Talls in Coveralls are 2 inches longer in the torso and 1 inch longer in the sleeves and legs.

Measurement Directions:

Neck: Measure around the base of your neck, round up to the next half-inch.

Chest: Measure around your chest, under the arms and across the shoulder blades, over a shirt if

stomach is larger than chest; choose the larger size.

Waist: Measure around your waist at the level you normally wear your pants, over a shirt.

Hip: Standing with feet together, measure around the widest part of your hips, parallel to the floor. **Inseam:** Measure a good-fitting pair of pants along the inseam, from crotch seam to bottom edge of cuff.

eeve: Bend arm and place fist on hip. Measure from centre back of your neck, across shoulder and

down arm to elbow and then to your wrist. This is your sleeve length.

Scotchlite® is a registered trademark of 3M Company 3M® is a registered trademark of 3M Company Nomex® is a registered trademark of E. I. du Pont de Nemours and Company

Thinsulate® is a registered trademark of 3M Company Gelflex® is a registered trademark of Versaflex Inc. Radiantex® is a registered trademark of Texel Inc. Revlar® is a registered trademark of E. I. du Pont de Nemours and Company

Cordura® is a registered trademark of Invista Thermolite® is a registered trademark of LBP Manufacturing, Inc.



CSA HIGH VISIBILITY SAFETY STANDARDS

The Canadian Standards Association's CSA Z96-09 High Visibility Safety Standard details the level of performance of garment componentry and design required to meet the standard classes and levels. The standard requires garment componentry to pass stringent testing including retroreflective performance, chromacity, luminance, colour fastness, resistance to shrinkage, bursting strength, tear strength, and water resistance (if applicable). Garment design elements and layout of retroreflective or combined-performance tape is another key part of the comprehensive standard. For more details, a copy of the standard can be obtained at www.csa.ca.

A simplified explanation of the CSA classes and levels for safety garments is as follows:

CLASS 1

Basic harness or safety tape over the shoulders and encircling the waist. Suitable in less complex work areas where workers are separated from car and truck traffic.

Ex.: Class 1 Level 2 = Class 1 tape configuration + non-retroreflective back ground material

Pioneer item #5590 (V1040560), hi-viz yellow/green safety sash Pioneer item #6925BK (V1060471), black polyester fleece hoodie



CLASS 2

Full coverage of the upper torso incuding front, back, sides and over the shoulders. The background material must be high visibility. For use in more complex or low-light work areas requiring greater visibility.

Ex.: Class 2 Level 2 = Class 2 tape configuration + retroreflective background material

Pioneer item #6935 (V1021150), hi-viz orange safety vest Pioneer item #6925 (V1060460), hi-viz yellow/green polyester fleece hoodie



CLASS 3

A Class 2 garment combined with arm and leg bands. The background material must be high visibility to the standard. Hi-viz coveralls meet this standard; safety jackets and pants can be worn combined, or arm/leg bands can be added to Class 2 garments, to attain Class 3. Suitable for use in complex work areas where low light, fast-moving traffic and inclement weather are safety factors.

Ex.: Class 3 Level 2 = Class 3 configuration + retroreflective background material

Pioneer item #5999A (V1070161), hi-viz yellow/green traffic coverall Pioneer item #5518 (V1160150), hi-viz orange poly/cotton coverall



Safety officials in your region determine the appropriate class wear for specific job sites. Hazardous risk assessment should be performed by a qualified individual to determine the applicable high visibility classification.







STAR▼TECH™ reflective tape has been independently tested to meet:

- CSA Z96-09 High-Visibility Safety Apparel Standard Level 2
- EN ISO 20471 High-Visibility Standard Level 2
- ANSI/ISEA 107-2010 Level 2



Index



101 (V3010140) 50					
	536L (V5080500)71	1041 (V4720270)62	5558A (V2520210) 24	6914A (V2510650) 31	D2300M (V3100470) 56
101 (V3010160) 50	536LW (V5080600) 71	1042 (V4720370)62	5558BKT (V252027T) 24	6916A (V2510660) 31	D2300M (V3100480) 56
101 (V3010180) 50	536PL (V5080800)71	1043 (V4720470)62	5558BK (V2520270) 24	6919 (V1020660)5	D5050 (V3035060) 49
120 (V4800110) 63	536P (V5020900)65	1050 (V4610870)61	5558BW (V2520970) 25	6920 (V1060150)10	D5050 (V3035070) 49
123 (V4800290) 63	536U (V5021000) 65	1051 (V4610830)61	5559T (V252031T) 25	6921BK (V1060270) 10	D7000 (V3020140) 41
124 (V4800390)63	536 (V5020400)65	2100 (V3060210)53	5559 (V2520310)25	6921 (V1060260)10	D7000 (V3020180) 41
128 (V2510150)30	537FLRF (V5080900) 71	2101 (V3060220)53	5560 (V4020270)57	6924 (V1060350)10, 44	
129 (V2510170) 30	537U (V5021400) 65	4036 (V3070110)53	5561 (V4020510)58	6925BK (V1060471) 10, 44	D7020 (V3020340) 41
					D7020 (V3020380) 41
131 (V1020250) 5	537 (V5021100)	4036 (V3070170)53	5562 (V4020170)	6925 (V1060460)10, 44	D7125JO (V1140150) 40
134 (V1020160) 5	537XL (V5021500) 65	5015 (V1170150)11	5563 (V4020370)58	6926 (V1020810)5	D7125JYG (V1140160) 40
135 (V1021570) 5	540 (V5060300) 69	5016 (V1170160)11	5564 (V4020350)58	6927 (V1020810) 5	D7125PO (V1140250) 40
136 (V1021850) 6	541 (V5060400) 69	5017 (V1170170)11	5565A (V14512070) 20	6930 (V1010951)5	D7125PYG (V1140260) 40
137SF (V2510370)30	542 (V5050100) 68	5020BB (V1120151) 46	5566 (V2550210)24	6931 (V1021061)5	D7183 (V3020540) 41
138SF (V2510470)30	543 (V5021700) 65	5021BB (V1120161) 46	5567 (V4020360)58	6932 (V1021450) 6	D7183 (V3020580) 41
139BK (V1021870) 6	544 (V5010650) 64	5022 (V1120350)46	5568 (V4020150)57	6933 (V1021560)6	
139 (V1021860) 6	545 (V5022000) 67	5023 (V1120360)46	5569 (V4020250)57	6935 (V1021150)5	D8120J (V3040340) 50
140 (V1040150)7	547 (V5022100)	5025 (V1120470)	5570 (V4020770)58	6936 (V1021260)5	D8120J (V3040360) 50
141 (V1040160)7	551 (V5060500)	5030 (V1150150)45	5571 (V4020750)58	6937 (V1021170)5	D8120P (V3040440)50
	555FLRF (V5081000) 73	5031BK (V1150170) 45			D8120P (V3040460)50
142 (V1040250)			5572 (V4020760)58	6940 (V1060550)10	D8125JO (V1110950) 43
143 (V1040260)	555 (V5022200) 67	5031 (V1150160)	5573 (V2550250)24	6941 (V1060560)10	D8125JYG (V1110960) 43
144 (V1040570) 7	556 (V5070160)70	5032 (V1150250)45	5574A (V1110150) 44	6942 (V1060570)10	D8125OH (V1111150) 43
145 (V1030150)6	558 (V5070260) 70	5033 (V1150260)45	5575A (V1110250) 44	6976 (V1050570) 8	D8125PO (V1111050) 43
147 (V4020650) 58	559 (V5070360) 70	5040BB (V1120651) 47	5576 (V1110350)45	6978 (V1050550) 8	
148 (V4020660) 58	560-A (V4010170)57	5041BB (V1120661) 47	5578 (V1110550)45	6979 (V1050650) 8	D8125PYG (V1111060) 43
150P (V3060170)53	560-B (V4010270) 57	5042 (V1120870)47	5579 (V1100150)11	6980 (V1050560) 8	D8125YH (V11111160) 43
160 (V2050170) 13	561 (V4010410) 58	5043 (V1120850)47	5584A (V1110560) 44	6981 (V1050850) 8	D9000 (V3030740) 49
162 (V2050270)	562 (V4010420)58	5044 (V1120860)47	5585A (V1110660) 44	6982 (V1050860)	D9003 (V3030940) 49
165 (V2050370)	564A (V4510870)20	5046 (V1120950)47	5586 (V1110360)45	6984 (V1050950) 8	D9003 (V3030960) 49
167 (V2050470)13	565A (V4510970)20	5047 (V1120960)	5588 (V1110460)	6985 (V1050960)	D9010 (V3031140) 49
168 (V2050570)	566A (V4511070)20	5098 (V2530130)25	5589 (V1100160)11	6986 (V1051350)9	D9010 (V3031160) 49
					D9020 (V3031340) 49
169 (V2050670)	568 (V5060700)	5099T (V253023T) 25	5590 (V1040560)	6987 (V1051360)	D9020 (V3031360) 49
175B (V6020900)	571 (V3510160)	5099 (V2530230)25	5591 (V1040850)	6988 (V1051370)9	
176 (V6020360) 75	577J (V3010560) 51	5133T (V201011T) 14	5592 (V1040860)7	6989 (V1050660) 8	D9050 (V3031540) 49
177 (V6020260) 75	577P (V3010660)51	5133 (V2010110)14	5593 (V1040950)7	6990 (V1051150)9	DK115J (V3060640) 52
180P (V6200150)74	577 (V3010460) 51	5134T (V201038T) 14	5594 (V1090150)42	6991 (V1051160)9	DK115J (V3060660) 52
181P (V6200450)74	578 (V3510360) 31	5134 (V2010380)14	5595 (V1090250)42	6992 (V1051170)9	DK115J (V3060680) 52
181 (V6200350) 74	580 (V3510560) 31	5200 (V1130150)48	5596 (V1090160)	6993 (V1051450)9	DK115P (V3060840)52
183P (V6200650)74	581 (V3010760) 51	5201 (V1130160)48	5597 (V1090260)42	6994 (V1051460)9	DK115P (V3060860)52
183 (V6200550)74	583 (V3040140)	5205 (V1130250)	5598 (V1080150)43	6995 (V1051250)9	DK115P (V3060880)52
189 (V6201010)	589 (V1030250)	5206 (V1130260)	5599BK (V1080170) 43	6996 (V1051260)9	DK400J (V3110170) 56
191 (V6210150)	592 (V1030250)	5207 (V1130270)	5599 (V1080160)43	6997 (V1051270)9	DK400P (V3110270)56
192 (V6210250)74	593 (V3050140)52	5311 (V5010170)64	5600 (V1090350)	6998 (V1051470)	FBH-10000A34
		5322 (V5010260)64	5601 (V1090360)	6999 (V1051510)9	FBH-10000B
201 (V6220170)	596 (V1030410) 6				
202 (V6220270)	627PB (V5082000) 71	5330 (V5010340)	5688 (V5060820)	7000 (V2040170)	FBH-10020A
203 (V6220370)	630 (V5081200)	5333 (V5010440)	5892 (V3520150)32	7005 (V2040270)12	FBH-10020B
301 (V6300160)	631BR (V5081300) 73	5355 (V5010560)	5893 (V3520250)	7010 (V2040370)	FBH-60110A 34
302 (V6300260)	632 (V5081400)	5441 (V5050200)	5894BK (V3520170) 32	7015 (V2040470)12	FBH-60110B 34
330 (V2580110)29	632W (V5081500) 71	5502 (V4030270)59	5894 (V3520160)	7700T (V254018T) 23	FBH-60120A 34
333BK (V2580370) 29	655 (V5081600) 73	5503 (V4030370)59	5895BK (V3520270) 33	7700 (V2540180)23	FBH-60120B 34
333BK (V2580370) 29 333 (V2580310) 29	655 (V5081600) 73 656 (V5081700) 73	5503 (V4030370)59 5504 (V4030470)59	5895BK (V3520270) 33 5895 (V3520260) 33	7700 (V2540180)23 7701T (V254015T)23	FBH-60120B
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380)	655 (V5081600) 73 656 (V5081700) 73 658 (V5081800)	5503 (V4030370)	5895BK (V3520270) 33 5895 (V3520260)	7700 (V2540180)23 7701T (V254015T)23 7701 (V2540150)23	FBH-60120B 34
333BK (V2580370)	655 (V5081600)	5503 (V4030370)	5895BK (V3520270)	7700 (V2540180)	FBH-60120B
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 337SF (V2570470) 28	655 (V5081600)	5503 (V4030370)	5895BK (V3520270) .33 5895 (V3520260) .33 5896 (V3520350) .32 5897 (V3520360) .32 5898 (V3520450) .33	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63
333BK (V2580370)	655 (V5081600)	5503 (V4030370)	5895BK (V3520270)	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 337SF (V2570470) 28	655 (V5081600)	5503 (V4030370)	5895BK (V3520270) .33 5895 (V3520260) .33 5896 (V3520350) .32 5897 (V3520360) .32 5898 (V3520450) .33	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 337 (V2570270) 28	655 (V5081600) 73 656 (V5081700) 73 658 (V5081800) 73 659 (V5070400) 70 666 (V4520170) 21 693 (V1010510) 4	5503 (V4030370)	5895BK (V3520270) 33 5895 (V3520260) 33 5896 (V3520350) 32 5897 (V3520360) 32 5898 (V3520450) 33 5899 (V3520460) 33	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 337 (V2570270) 28 338SF (V2570450) 28	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5514 (V202051T) 14 5514 (V202051T) 14	5895BK (V3520270) 33 5895 (V3520260) 32 5896 (V3520350) 32 5897 (V3520360) 32 5898 (V3520450) 33 5899 (V3520460) 33 5992 (V1050150) 8	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 337 (V2570270) 28 3385F (V2570450) 28 339SF (V2580550) 29	655 (V5081600)	5503 (V4030370)	5895BK (V3520270) 33 5895 (V3520260) 33 5896 (V3520350) 32 5897 (V3520360) 32 5898 (V3520450) 33 5899 (V3520460) 33 5992 (V1050150) 8 5993 (V1050260) 8	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25 37
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375 (V2570470) 28 3375 (V2570470) 28 3385F (V2570450) 28 3395F (V2580550) 29 3405F (V2580570) 29 3405F (V2580570) 29 350 (V7030200) 77	655 (V5081600) 73 656 (V5081700) 73 658 (V5081800) 73 659 (V5070400) 70 666 (V4520170) 21 693 (V1010510) 4 694 (V1010610) 4 695 (V1010710) 4	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5514 (V202051T) 14 5516 (V2020518T) 14 5516 (V2020580) 14 5518 (V116015T) 15 5518 (V116015T) 15	5895BK (V3520270) 33 5895 (V3520260) 33 5896 (V3520350) 32 5897 (V3520360) 32 5898 (V3520450) 33 5899 (V3520460) 33 5992 (V1050150) 8 5993 (V1050260) 8 5994 (V1050350) 8	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25 37 RK3-50 37
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 337 (V2570270) 28 3385F (V2570450) 28 339SF (V2580550) 29 3405F (V2580570) 29 350 (V7030200) 77 355 (V7030300) 77	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5514T (V202051T) 14 5514 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518 (V116015T) 15 5518 (V116015T) 15	\$895BK (V3520270) 33 \$895 (V3520260) 33 \$896 (V3520350) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$999 (V1050150) 8 \$993 (V1050260) 8 \$994 (V1050350) 8 \$997 (V1050360) 8 \$999A (V1070161) 16	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25. 37 RK3-50. 37 RK4-25. 37
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 337SF (V2570470) 28 337SF (V2570470) 28 338SF (V2570450) 28 339SF (V2580550) 29 340SF (V2580570) 29 350 (V7030200) 77 355 (V7030300) 77 360 (V7030400) 77	655 (V5081600)	5503 (V4030370)	5895BK (V3520270) 33 5895 (V3520260) 33 5896 (V3520350) 32 5897 (V3520360) 32 5898 (V3520450) 33 5899 (V3520460) 33 5899 (V3520460) 8 5992 (V1050150) 8 5994 (V1050350) 8 5994 (V1050360) 8 5997 (V1050360) 8 5999 (V1070161) 16 5999J (V1070260) 17	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25 37 RK3-50 37 RK4-50 37
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580310) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570270) 28 3385F (V2570450) 29 3405F (V2580550) 29 3405F (V2580570) 29 350 (V7030200) 77 355 (V7030200) 77 360 (V7030400) 77 390 (V7030900) 77	655 (V5081600)	5503 (V4030370)	5895BK (V3520270) 33 5895 (V3520260) 33 5896 (V3520350) 32 5897 (V3520360) 32 5898 (V3520450) 33 5899 (V3520460) 33 5899 (V3520460) 8 5992 (V1050150) 8 5994 (V1050350) 8 5994 (V1050360) 8 5999 (V1070161) 16 59991 (V1070260) 17 5999P (V1070360) 17	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25 37 RK3-50 37 RK4-50 37 SA-1000-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3395F (V2570450) 28 3395F (V2570450) 29 3405F (V2580550) 29 3405F (V2580570) 77 355 (V7030200) 77 360 (V7030400) 77 400 (V3080290) 54	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5514T (V202051T) 14 55146 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518T (V116015T) 15 5519 (V116015T) 15 5519 (V116016T) 15 5519F (V116016T) 15 5519F (V116016T) 15 55197 (V116016T) 15	\$895BK (V3520270)	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25. 37 RK3-50. 37 RK4-50. 37 RK4-50. 37 SA-1000-X 35 SA-1000-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3395F (V2570450) 28 3395F (V2580550) 29 3405F (V2580550) 29 3405F (V2580570) 77 355 (V7030200) 77 360 (V7030400) 77 390 (V7030900) 77 400 (V3080290) 54 415A (V3080391) 54	655 (V5081600)	5503 (V4030370)	\$895BK (V3520270) 33 \$895 (V3520260) 33 \$896 (V3520360) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$899 (V3520460) 8 \$992 (V1050150) 8 \$993 (V1050260) 8 \$994 (V1050350) 8 \$997 (V1050360) 8 \$999 (V1070360) 17 \$599P (V1070360) 17 \$6000 (V1070460) 17 \$6000 (V1070460) 16 \$6001J (V1070250) 17	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25 37 RK3-50 37 RK4-50 37 SA-1000-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 337SF (V2570470) 28 337SF (V2570470) 28 338SF (V2570450) 28 339SF (V2580550) 29 340SF (V2580570) 29 350 (V7030200) 77 350 (V7030200) 77 360 (V7030400) 77 390 (V7030900) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080392) 54, 55	655 (V5081600)	5503 (V4030370)	\$895BK (V3520270) 33 \$895 (V3520260) 33 \$895 (V3520350) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$899 (V3520460) 38 \$999 (V1050150) 8 \$999 (V1050150) 8 \$999 (V1050360) 8 \$999 (V1070360) 8 \$999 (V1070360) 17 \$999P (V1070360) 17 \$6000 (V1070460) 17 \$6001P (V1070350) 17	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25. 37 RK3-50. 37 RK4-50. 37 RK4-50. 37 SA-1000-X 35 SA-1000-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3385F (V2570450) 28 3395F (V2580550) 29 3405F (V2580550) 29 3405F (V2580570) 77 355 (V7030200) 77 360 (V7030400) 77 400 (V3080390) 54 415A (V3080391) 54 415B (V3080392) 54, 55 418 (V3080392) 54, 55	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5514T (V202051T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518T (V116015T) 15 5519 K (V116015T) 15 5519 K (V1160170) 15 5519 (V116016T) 15 5519 (V150170) 15	\$895BK (V3520270) 33 \$895 (V3520270) 33 \$895 (V3520260) 32 \$897 (V3520360) 32 \$898 (V3520360) 32 \$898 (V3520450) 33 \$5992 (V1050150) 8 \$5992 (V1050150) 8 \$5993 (V1050260) 8 \$5994 (V1050350) 8 \$5997 (V1050360) 17 \$6001 (V1070350) 17	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25 37 RK3-50 37 RK4-50 37 RK4-50 37 SA-1000-X 35 SA-1000-X 35 SA-1002-X 35 SA-1042-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 337 (V2570270) 28 339SF (V2570450) 28 339SF (V2580550) 29 340SF (V2580550) 77 350 (V7030200) 77 350 (V7030200) 77 360 (V7030400) 77 390 (V7030900) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080391) 54 418 (V3080410) 54 420 (V3080590) 54	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030670) 59 5506 (V4030670) 59 5514T (V202051T) 14 5514 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518 (V116015T) 15 5519 KT (V116015T) 15 5519 K (V1160170) 15 5519 K (V1160170) 15 5519 K (V116016T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5522A (V2560111) 27 5522B K (V2560271) 26 5523BK (V2560270) 26	\$895BK (V3520270) 33 \$895 (V3520260) 33 \$896 (V3520360) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$899 (V3520460) 8 \$992 (V1050150) 8 \$993 (V1050260) 8 \$999 (V1050360) 8 \$999 (V1070260) 16 \$999 (V1070360) 17 \$999P (V1070360) 17 \$999P (V1070350) 16 6001J (V1070450) 17 6001 (V1070350) 17 6001P (V1070350) 17 6001P (V1070350) 17 6001 (V1070150) 16 6002 (V1070450) 16	7700 (V2540180) 23 77011 (V254015T) 23 7701 (V2540150) 23 77107 (V254028T) 23 77107 (V2540280) 23 77117 (V2540250) 23 77117 (V2540250) 23 8562 (V4710340) 62 8564 (V471070) 62 9679 (V4710580) 61 171001 (V6040700) 76 1130121 (V6040600) 76 1130121 (V6040600) 76 635-21000-6 36 AS-21000-6 36 BAG-005 38 C200 (V4520270) 21 C201 (V4520370) 21	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25 37 RK3-50 37 RK4-50 37 RK4-50 37 SA-1000-X 35 SA-1002-X 35 SA-1040-X 35 SA-1042-X 35 SA-3200-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3395F (V2570450) 29 3405F (V2580550) 29 3405F (V2580550) 77 360 (V7030200) 77 360 (V7030400) 77 390 (V7030900) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080391) 54 415B (V3080410) 54 420 (V3080590) 54 420 (V3080590) 54	655 (V5081600)	5503 (V4030370)	\$895BK (V3520270) 33 \$895 (V3520260) 33 \$895 (V3520360) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$899 (V3520460) 8 \$993 (V1050150) 8 \$993 (V1050360) 8 \$997 (V1050360) 8 \$997 (V1050360) 16 \$999J (V1070360) 17 \$999P (V1070360) 17 \$6001 (V1070450) 17 \$6001P (V1070350) 17 \$6001 (V1070150) 17 \$6001 (V1070150) 17 \$6001 (V1070150) 16 \$6002 (V1070450) 16 \$6003 (V1070480) 17	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RG-9800 36 RG-11010 36 RG-21000 36 RG-2500 37 RK4-25 37 RK4-50 37 RK4-50 37 SA-1000-X 35 SA-1042-X 35 SA-1042-X 35 SA-3200-X 35 SA-3202-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3385F (V2570450) 28 3395F (V2570450) 29 3405F (V2580550) 29 3405F (V2580570) 77 355 (V7030200) 77 355 (V7030200) 77 360 (V7030400) 77 400 (V3080391) 54 415A (V3080391) 54 415B (V3080391) 54 415B (V3080391) 54 420 (V3080570) 54 420 (V3080590) 54 421 (V3080570) 54 502 (V5060920) 54	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5514 (V202051T) 14 5514 (V202051T) 14 5516 (V2020580) 14 5518T (V116015T) 15 5519 (V116015T) 15 5519 (V116015T) 15 5519 (V1160160) 15 5519 (V1160160) 15 5519 (V1160160) 15 5519 (V1160160) 15 55248 (V2560111) 27 55238 (V2560111) 27 55238 (V2560270) 26 55248 (V2560370) 26 55248 (V2560370) 26	\$895BK (V3520270) 33 \$895 (V3520270) 33 \$895 (V3520260) 32 \$897 (V3520360) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 88 \$992 (V1050150) 8 \$993 (V1050260) 8 \$9994 (V1050350) 8 \$9994 (V1070161) 16 \$59994 (V1070160) 17 \$6000 (V1070460) 17 \$6001 (V1070350) 17 \$6001 (V1070350) 17 \$6001 (V1070350) 17 \$6001 (V1070350) 17 \$6001 (V1070450) 16 \$6002 (V1070450) 16 \$6003 (V1070450) 17 \$6003 (V1070280) 17 \$6003 (V1070380) 17	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25. 37 RK3-50. 37 RK4-50. 37 RK4-50. 37 SA-1000-X 35 SA-1042-X 35 SA-1042-X 35 SA-3200-X 35 SA-3202-X 35 SA-3206-2 36
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3375F (V2570450) 28 3385F (V2570450) 29 3405F (V2580550) 29 3405F (V2580550) 77 355 (V7030200) 77 360 (V7030200) 77 360 (V7030400) 77 400 (V3080391) 54 415A (V3080391) 54 415B (V3080410) 54 420 (V3080590) 54 420 (V3080590) 54 421 (V3080570) 54 420 (V3080570) 54 420 (V3080570) 54 421 (V3080570) 54 421 (V3080570) 54 420 (V5060920) 69 504 (V5060920) 69	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030670) 59 5506 (V4030670) 59 5514T (V202051T) 14 5514 (V202051T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518 (V116015T) 15 5519 K (V116015T) 15 5519 K (V116016T) 15 5519 K (V116016T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5522A (V2560111) 27 5522B K (V25602T1) 26 5523BK (V2560270) 26 5524BK (V2560270) 26 5524BK (V2560370) 26	\$895BK (V3520270)	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25 37 RK3-50 37 RK4-50 37 SA-1000-X 35 SA-1002-X 35 SA-1042-X 35 SA-3202-X 35 SA-3202-X 35 SA-3206-2 36 SA-20000-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3385F (V2570450) 28 3395F (V2570450) 29 3405F (V2580550) 29 3405F (V2580570) 77 355 (V7030200) 77 355 (V7030200) 77 360 (V7030400) 77 400 (V3080391) 54 415A (V3080391) 54 415B (V3080391) 54 415B (V3080391) 54 420 (V3080570) 54 420 (V3080590) 54 421 (V3080570) 54 502 (V5060920) 54	655 (V5081600)	5503 (V4030370)	\$895BK (V3520270)	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25 37 RK3-50 37 RK4-25 37 RK4-50 37 SA-1002-X 35 SA-1040-X 35 SA-1040-X 35 SA-3202-X 35 SA-3202-X 35 SA-3206-2 36 SA-20002-X 35 SA-20002-X 35 SA-20002-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3375F (V2570450) 28 3385F (V2570450) 29 3405F (V2580550) 29 3405F (V2580550) 77 355 (V7030200) 77 360 (V7030200) 77 360 (V7030400) 77 400 (V3080391) 54 415A (V3080391) 54 415B (V3080410) 54 420 (V3080590) 54 420 (V3080590) 54 421 (V3080570) 54 420 (V3080570) 54 420 (V3080570) 54 421 (V3080570) 54 421 (V3080570) 54 420 (V5060920) 69 504 (V5060920) 69	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030670) 59 5506 (V4030670) 59 5514T (V202051T) 14 5514 (V202051T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518 (V116015T) 15 5519 K (V116015T) 15 5519 K (V116016T) 15 5519 K (V116016T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5522A (V2560111) 27 5522B K (V25602T1) 26 5523BK (V2560270) 26 5524BK (V2560270) 26 5524BK (V2560370) 26	\$895BK (V3520270)	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25. 37 RK4-50. 37 RK4-50. 37 SA-1000-X 35 SA-1042-X 35 SA-1042-X 35 SA-3200-X 35 SA-3200-X 35 SA-3200-X 35 SA-20000-X 35 SA-2022-X 35 SA-2022-X 35 SA-2022-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580310) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3375F (V2570450) 28 339SF (V2580550) 29 3405F (V2580550) 29 3405F (V2580570) 77 350 (V7030200) 77 350 (V7030200) 77 360 (V7030400) 77 390 (V7030900) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080391) 54 415B (V3080410) 54 420 (V3080590) 54 421 (V3080570) 54 502 (V5060920) 69 504 (V5060940) 69 512 (V2020180) 19	655 (V5081600)	5503 (V4030370)	\$895BK (V3520270)	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25. 37 RK3-50. 37 RK4-50. 37 SA-1000-X 35 SA-1002-X 35 SA-1042-X 35 SA-3202-X 35 SA-3200-X 35 SA-20000-X 35 SA-20002-X 35 SA-20022-X 35 SA-20022-X 35 SR-10301-8 37
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3395F (V2570450) 29 3405F (V2580550) 29 3405F (V2580570) 29 3405F (V2580570) 77 355 (V7030200) 77 360 (V7030400) 77 360 (V7030400) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080391) 54 455 (V3080570) 54 420 (V3080590) 54 421 (V3080570) 54 502 (V5060920) 69 504 (V5060940) 69 512 (V2020180) 19 515T (V202038T) 14	655 (V5081600)	5503 (V4030370)	\$895BK (V3520270)	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25 37 RK3-50 37 RK4-50 37 SA-1000-X 35 SA-1002-X 35 SA-1040-X 35 SA-1040-X 35 SA-3202-X 35 SA-3202-X 35 SA-3202-X 35 SA-20000-X 35 SA-3000-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580310) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3375F (V2570450) 28 339SF (V2580550) 29 340SF (V2580550) 29 340SF (V2580570) 77 350 (V7030200) 77 360 (V7030200) 77 360 (V7030400) 77 390 (V7030900) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080391) 54 415B (V3080590) 54 420 (V3080570) 54 502 (V5060920) 69 504 (V5060920) 69 512 (V2020180) 19 515T (V2020380) 14 515T (V2020380) 14 520 (V2060170) 19	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030670) 59 5506 (V4030670) 59 5514T (V202051T) 14 5514 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518 (V116015T) 15 5519 (V116015T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5519 (V15016T) 15 5522A (V2560111) 27 5523A (V2560211) 26 5523BK (V2560311) 26 5524BK (V2560311) 26 5532A (V2560151) 27 5533A (V2560251) 26 5534A (V2560351) 26 55335 (V2560351) 26 55335 (V2560351) 26 55335 (V2560351) 26 553558K (V2060370) 18	\$895BK (V3520270)	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25. 37 RK3-50. 37 RK4-50. 37 SA-1000-X 35 SA-1002-X 35 SA-1042-X 35 SA-3202-X 35 SA-3200-X 35 SA-20000-X 35 SA-20002-X 35 SA-20022-X 35 SA-20022-X 35 SR-10301-8 37
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3375F (V2570450) 28 339SF (V2580550) 29 3405F (V2580550) 29 3405F (V2580570) 29 350 (V7030200) 77 360 (V7030400) 77 360 (V7030400) 77 360 (V7030900) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080391) 54 415B (V3080410) 54 420 (V3080590) 54 420 (V3080590) 54 502 (V5060920) 69 504 (V5060940) 69 512 (V2020180) 19 515T (V2020387) 14 515 (V2020387) 14 515 (V20203880) 14 520 (V2060170) 19 523 (V2561110) 27	655 (V5081600)	5503 (V4030370)	\$895BK (V3520270)	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25 37 RK3-50 37 RK4-50 37 SA-1000-X 35 SA-1002-X 35 SA-1040-X 35 SA-1040-X 35 SA-3202-X 35 SA-3202-X 35 SA-3202-X 35 SA-20000-X 35 SA-3000-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3385F (V2570450) 29 3405F (V2580550) 29 3405F (V2580550) 29 3405F (V2580570) 77 355 (V7030200) 77 360 (V7030400) 77 360 (V7030400) 77 400 (V3080391) 54 415A (V3080391) 54 415B (V3080392) 54,55 418 (V3080570) 54 5421 (V3080570) 54 5421 (V3080570) 54 552 (V5060920) 69 504 (V5060940) 69 512 (V2020180) 19 515T (V2020381) 14 515 (V2020380) 14 520 (V2060170) 19 523 (V2561110) 27 525 (V5060100) 69	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5514 (V2020511) 14 5516 (V2020581) 14 5516 (V2020580) 14 5518 (V116015T) 15 5519 (V116015T) 15 5519 (V116015T) 15 5519 (V116016T) 15 5519 (V116016T) 15 55197 (V116016T) 15 55197 (V116016T) 15 55197 (V1260170) 15 55228 (V2560170) 26 55248 (V2560370) 26 55340 (V2560351) 26 55358 (V2060370) 18 5536 (V2060370) 18 5536 (V2060370) 18 55368 (V2060580) 18	\$895BK (V3520270) 33 \$895 (V3520270) 33 \$895 (V3520260) 32 \$897 (V3520360) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$5992 (V1050150) 8 \$5993 (V1050260) 8 \$5994 (V1050350) 8 \$5997 (V1050360) 17 \$6001 (V1070260) 17 \$6001 (V1070460) 16 \$6001 (V1070460) 16 \$6001 (V1070460) 17 \$6001 (V1070350) 16 \$6002 (V1070480) 16 \$6003 (V1070480) 16 \$6004 (V1070480) 16 \$6005 (V1070480) 16 \$615T (V2030180) 14 \$6617 (V2030117) 14 \$6617 (V2030117) 14 \$6617 (V20301117) 14 \$6617 (V20301117) 14 \$6618 (V1160250) 15	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25. 37 RK4-50. 37 RK4-50. 37 SA-1000-X 35 SA-1002-X 35 SA-1042-X 35 SA-3200-X 35 SA-3200
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580310) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3375F (V2570450) 28 3389F (V2580550) 29 3405F (V2580550) 29 3405F (V2580550) 77 355 (V7030200) 77 360 (V7030200) 77 360 (V7030400) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080392) 54,55 418 (V3080590) 54 420 (V3080590) 54 421 (V3080570) 54 502 (V5060920) 59 512 (V2020180) 19 515T (V2020180) 19 515T (V202038T) 14 520 (V2060170) 19 523 (V2561110) 27 525 (V5060100) 69 530B (V5080100) 71	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030670) 59 5506 (V4030670) 59 5514T (V202051T) 14 5514 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518 (V116015T) 15 5519 (V116015T) 15 5519 (V116016T) 15 5522A (V2560111) 27 5523A (V2560270) 26 5524BK (V2560311) 26 5524BK (V2560170) 26 5532A (V2560170) 26 5534A (V2560370) 26 5535BK (V2060370) 26 5535BK (V2060370) 18 5536 (V2060380) 18 5536 (V2060580) 18 5536 (V2060580) 18	\$895BK (V3520270)	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25. 37 RK3-50. 37 RK4-50. 37 SA-1000-X 35 SA-1000-X 35 SA-1002-X 35 SA-1042-X 35 SA-1042-X 35 SA-3200-X 35 SA-33300-S 35 SRL-10301-8 37 SRL-33302-S0 37 SRL-33302-S0 37 SRL-33303-S0 38 SRL-33303-BRKT 38
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580310) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3375F (V2570450) 28 339SF (V2580550) 29 3405F (V2580550) 29 3405F (V2580550) 77 350 (V7030200) 77 350 (V7030200) 77 360 (V7030400) 77 390 (V7030900) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080391) 54 415B (V3080590) 54 421 (V3080570) 54 502 (V5060920) 69 504 (V5060920) 69 512 (V2020180) 19 515F (V2020387) 14 515 (V2020387) 14 515 (V2020380) 14 520 (V2060170) 19 523 (V2561110) 27 525 (V5060100) 69 5308 (V5080100) 71 531 (V5020100) 65	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5514T (V202051T) 14 5514 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518 (V116015T) 15 5519 (V116015T) 15 5519 (V1160170) 15 5519 (V116016T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5519 (V16016T) 15 5522A (V2560111) 27 5523A (V2560211) 27 5523A (V2560211) 26 5524BK (V2560170) 27 5533A (V2560211) 26 5524BK (V2560170) 27 5533A (V2560211) 26 55324A (V2560170) 26 55324A (V2560170) 26 55325A (V2560170) 26 5535BK (V2060370) 18 5536 (V2060380) 18 5536 (V2060380) 18 5536 (V2060350) 18 5538 (V2060550) 18	\$895BK (V3520270)	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 RP-9305 (V4800410) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RG-21000 36 RK3-25. 37 RK4-25. 37 RK4-50. 37 RK4-50. 37 SA-1000-X 35 SA-1000-X 35 SA-1040-X 35 SA-1042-X 35 SA-3200-X 35 SA-3200
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3375F (V2570450) 28 3395F (V2570450) 29 3405F (V2580550) 29 3405F (V2580550) 29 3405F (V2580570) 77 355 (V7030200) 77 360 (V7030400) 77 400 (V3080290) 54 415A (V3080391) 54 415R (V3080391) 54 415R (V3080391) 54 420 (V3080590) 54 421 (V3080570) 54 421 (V3080570) 54 502 (V5060940) 69 512 (V2020180) 19 515T (V202038T) 14 515 (V2020380) 14 520 (V2561110) 27 525 (V5060100) 69 5308 (V5060100) 71 531 (V5020100) 69 5308 (V5080100) 71 531 (V5020100) 69 5308 (V5080100) 71 531 (V5020100) 65 531W (V5020200) 65	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5514 (V2020511) 14 5516 (V2020581) 14 5516 (V2020580) 14 5518 (V116015T) 15 5518 (V116015T) 15 5519 (V1160160) 15 5519 (V1160160) 15 5519 (V1160160) 15 5519 (V1160160) 15 5524 (V2560111) 27 5523A (V2560211) 26 5524A (V2560111) 26 5524B (V2560170) 27 5523B (V2560210) 26 5524B (V2560170) 26 5535B (V2560370) 26 5535B (V2560350) 18 5536 (V2060550) 18 5536 (V2060550) 18 5538 (V2060550) 18 5538 (V2060550) 18	\$895BK (V3520270) 33 \$895 (V3520270) 33 \$895 (V3520260) 32 \$897 (V3520360) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$992 (V1050150) 8 \$993 (V1050260) 8 \$9994 (V1050350) 8 \$9994 (V1070161) 16 \$9991 (V1070360) 17 \$6000 (V1070460) 16 \$6011 (V1070250) 17 \$6001 (V1070350) 17 \$6001 (V1070350) 17 \$6003 (V1070150) 16 \$6003 (V1070480) 16 \$6003 (V1070480) 16 \$6003 (V1070180) 16 \$6003 (V1070180) 16 \$6004 (V1070480) 16 \$6004 (V1070480) 16 \$6005 (V1070380) 17 \$6003 (V1070180) 16 \$6004 (V1070180) 16 \$615T (V2030180) 14 \$617 (V2030110) 14 \$6617 (V2030110) 14 \$6618 (V1160250) 15 \$6619 (V11602260) 15 \$6619 (V11602270) 15 \$6619 (V11602270) 15 \$6619 (V11602260) 71	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RG-21000 36 RK3-25. 37 RK4-50. 37 RK4-50. 37 SA-1002-X 35 SA-1002-X 35 SA-1042-X 35 SA-1042-X 35 SA-3200-X 35 SA-3200-
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580310) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3375F (V2570470) 28 3395F (V2570450) 29 3405F (V2580550) 29 3405F (V2580550) 29 3405F (V2580550) 77 355 (V7030200) 77 360 (V7030400) 77 360 (V7030400) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080410) 54 420 (V3080590) 54 421 (V3080570) 54 502 (V5060920) 69 504 (V5060920) 69 512 (V2020180) 19 515F (V202038T) 14 520 (V2060170) 19 523 (V2561110) 27 525 (V5060100) 69 5308 (V5080100) 71 531 (V5020200) 69 5310 (V5020200) 69 5310 (V5020200) 69	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030670) 59 5506 (V4030670) 59 5514T (V202051T) 14 5514T (V202051T) 14 5516T (V202058T) 14 5516T (V202058T) 14 5516T (V202058T) 14 5518T (V116015T) 15 5519 (V116015T) 15 5519 (V116015T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5519 (V1160160) 15 5519 (V1160160) 15 5522BK (V2560111) 27 5522BK (V2560111) 27 5523A (V2560211) 26 5523BK (V2560270) 26 5524BK (V2560311) 26 5524BK (V2560370) 26 5532A (V2560151) 27 5533A (V2560251) 26 5534A (V2560351) 26 5535BK (V2060380) 18 5536 (V2060380) 18 5536 (V2060380) 18 5537 (V2060350) 18 5537 (V2060350) 18 5539 (V2060580) 18 5539 (V2060590) 19 5539 (V2060980) 19	\$895BK (V3520270) 33 \$895 (V3520270) 33 \$895 (V3520260) 32 \$897 (V3520360) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$5992 (V1050150) 8 \$5993 (V1050260) 8 \$5994 (V1050360) 8 \$5997 (V1050360) 17 \$600 (V1070460) 17 \$6001 (V1070360) 17 \$6001 (V1070350) 17 \$6003 (V1070380) 17 \$6019 (V1070380) 15 \$619 (V1070380) 15	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RG-21000 37 RK3-25 37 RK3-25 37 RK4-50 37 RK4-50 37 SA-1000-X 35 SA-1042-X 35 SA-1042-X 35 SA-1042-X 35 SA-3200-X 35 SR-3200-X 35 SR-3300-S 36 SR-33303-S0 37 SRL-33303-S0 37 SRL-33303-S0 38 SRL-33303-BRKT 38 TR-100 38 TR-100 38 TR-100 38
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3375F (V2570450) 28 3395F (V2580550) 29 3405F (V2580550) 29 3405F (V2580550) 77 350 (V7030200) 77 360 (V7030200) 77 360 (V7030400) 77 390 (V7030900) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080391) 54 415B (V3080390) 54 420 (V3080570) 54 502 (V5060920) 69 504 (V5060920) 69 512 (V2020180) 19 515T (V2020387) 14 520 (V2060170) 19 523 (V2561110) 27 525 (V5060100) 69 5308 (V5080100) 71 531 (V5020100) 65 531 (V5060200) 69 5355LRF (V5080200) 72	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5514T (V202051T) 14 5514 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518 (V116015T) 15 5518 (V116015T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5522A (V2560111) 27 5523A (V2560211) 26 5523BK (V2560270) 26 5524BK (V2560311) 26 5524BK (V2560311) 26 5532BK (V2560311) 26 5532BK (V2560311) 26 5532BK (V2560351) 26 5534BK (V2560351) 26 5535BK (V2560351) 26 5535BK (V2600350) 18 5536 (V2060380) 18 5536 (V2060580) 18 5538 (V2060550) 18 5538 (V2060550) 18 5538 (V2060550) 18 5539 (V2060980) 19 5539 (V2060980) 19	\$895BK (V3520270)	7700 (V2540180) 23 77011 (V254015T) 23 77011 (V254015D) 23 77107 (V254028T) 23 77107 (V254028D) 23 77117 (V254028D) 23 77117 (V254025D) 23 8562 (V4710340) 62 8564 (V471070) 62 9679 (V4710580) 61 171001 (V6040700) 76 1130121 (V6040600) 76 1130121 (V6040600) 76 6130121 (V6040700) 23 8562 (V471088D) 21 171001 (V6040700) 76 1130121 (V6040700) 76 1130121 (V6040700) 76 1130121 (V6040600) 76 1130121 (V6040600) 76 112012 (V4520370) 21 1000 (V350030350) 38 10000 (V3030150) 40 101020 (V30303550) 40 101020 (V30303550) 40	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25. 37 RK3-50. 37 RK4-50. 37 RK4-50. 37 SA-1000-X 35 SA-1002-X 35 SA-1042-X 35 SA-1042-X 35 SA-3200-X 35 SA-3300-X 35 SA-3300-X 35 SA-3200-X 35 SA-3200-X 35 SA-3300-X 35 SA-3300-X 35 SA-3300-X 35 SA-3300-X 35 SA-3200-X 35 SA-3300-X 35 SA-3200-X 35 SA-3300-X 35 SA-3300-X 35 SA-3200-X 35 SA-3300-X 35 SA-3200-X 35 SA-3200-X 35 SA-3200-X 35 SA-3300-X 35 SA-3200-X 35 SA-3200-X 35 SA-3300-X 35 SA-3200-X 35 SA-3300-X 35 SA-3200-X
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3375F (V2570450) 28 3395F (V2580550) 29 3405F (V2580550) 29 3405F (V2580570) 77 355 (V7030200) 77 360 (V7030400) 77 360 (V7030400) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080391) 54 415B (V3080391) 54 545 (V5060940) 69 512 (V2020180) 19 515T (V202038T) 14 515 (V202038T) 14 515 (V2020380) 14 520 (V2060170) 19 523 (V2561110) 27 525 (V5060100) 69 530B (V5060100) 71 531 (V5020100) 69 531W (V5020200) 69 5331W (V5020200) 69 5351ER (V5080300) 72	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5506 (V4030670) 59 5514 (V2020511) 14 5514 (V2020511) 14 5516 (V2020580) 14 5518 (V116015T) 15 5518 (V116015T) 15 5519 (V116016T) 15 5519 (V116016T) 15 5519 (V1160160) 15 5519 (V1160160) 15 55224 (V2560111) 27 55238 (V2560270) 26 55248 (V2560151) 26 55248 (V2560151) 26 55348 (V2560370) 26 55358 (V2060370) 26 55358 (V2060370) 26 55358 (V2060370) 26 55348 (V2560151) 27 55336 (V2060370) 18 5536 (V2060350) 18 5536 (V2060350) 18 5539 (V2060380) 18 5539 (V2060950) 18 5539 (V2060950) 19 5539 (V2060980) 19 5540 (V2060950) 19	\$895BK (V3520270) 33 \$895 (V3520270) 33 \$895 (V3520260) 32 \$897 (V3520360) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$5992 (V1050150) 8 \$993 (V1050260) 8 \$9994 (V1050350) 8 \$5997 (V1050360) 16 6091 (V1070161) 16 \$5999 (V1070161) 16 \$5999 (V1070360) 17 \$6000 (V1070460) 16 \$6001 (V1070250) 17 \$6001 (V1070350) 17 \$6001 (V1070350) 17 \$6001 (V1070350) 17 \$6003 (V1070180) 16 \$6031 (V1070380) 17 \$6003 (V1070180) 16 \$6015 (V2030180) 14 \$615 (V2030180) 14 \$617 (V2030110) 14 \$6618 (V1160250) 15 \$6619 (V1160250) 15 \$6632PT (V5082100) 71 \$6692 (V1010150) 4 \$6693 (V1010140) 4 \$6696 (V1010140) 4	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25. 37 RK4-50. 37 RK4-50. 37 SA-1000-X 35 SA-1002-X 35 SA-1042-X 35 SA-1042-X 35 SA-3200-X 35 SA-3200
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580310) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3375F (V2570470) 28 3395F (V2570450) 29 3405F (V2580550) 29 3405F (V2580550) 29 3405F (V2580550) 77 355 (V7030200) 77 360 (V7030400) 77 360 (V7030900) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080392) 54,55 418 (V3080570) 54 502 (V5060920) 69 504 (V5060920) 69 512 (V2020180) 19 515T (V2020387) 14 515 (V2020380) 14 520 (V2606170) 19 523 (V2561110) 27 525 (V5060100) 69 530B (V5080100) 71 531 (V50202010) 65 531 (V5080200) 65 533 (V5060200) 69 5355LRF (V5080200) 72 5351 (V5080200) 72	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5506 (V4030670) 59 5514T (V202051T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518 (V116015T) 15 5518 (V116015T) 15 5519 (V116016T) 15 5519 (V150170) 15 5519 (V2560170) 15 5524BK (V2560170) 26 5524BK (V2560370) 26 5534A (V2560351) 26 5535BK (V2060380) 18 5536 (V2060380) 18 5536 (V2060380) 18 5537 (V2060350) 18 5538 (V2060550) 18 5539 (V2060980) 19 5539 (V2060980) 19 5553 (V2550150) 24 55554 (V2550110) 24	\$895BK (V3520270) 33 \$895 (V3520270) 33 \$895 (V3520260) 32 \$897 (V3520360) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$5992 (V1050150) 8 \$5992 (V1050150) 8 \$5994 (V1050350) 8 \$5994 (V1070360) 17 \$6099 (V1070360) 17 \$6000 (V1070460) 16 \$6001 (V1070250) 17 \$601P (V1070350) 16 \$6003 (V1070480) 16 \$603 (V1070480) 16 \$603 (V1070480) 16 \$615T (V203018T) 14 \$6615 (V2030180) 14 \$6615T (V203018T) 14 \$6618 (V1160250) 15 \$6619BK (V1160260) 15 \$6619PK (V1160260) 15 \$6632PT (V5082100) 71 \$6692 (V1010150) 4 \$6693 (V1010140) 4 \$6696 (V11010340) 4 \$6697 (V1010350) 4	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RK3-25. 37 RK4-50. 37 RK4-50. 37 RK4-50. 37 SA-1000-X 35 SA-1002-X 35 SA-1042-X 35 SA-1042-X 35 SA-3200-X 35 SA-3200-X 35 SA-3200-X 35 SA-320-X 35 SA-3200-X 35 SA-320-X 35 SA-320-X 35 SA-320-X 35 SA-320-X 35 SA-320-X 35 SA-3200-X 35
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580310) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 33795F (V2570470) 29 3405F (V2580550) 29 3405F (V2580550) 29 3405F (V2580550) 77 355 (V7030200) 77 356 (V7030200) 77 360 (V7030400) 77 390 (V7030900) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080392) 54,55 418 (V3080570) 54 420 (V3080570) 54 421 (V3080570) 54 502 (V5060920) 59 512 (V2020180) 19 515T (V5000100) 69 530B (V5080100) 71 531 (V5020100) 65 531W (V5020200) 65 531K (V5080200) 72 535TL (V5080300) 72 535TL (V5080300) 72 535TL (V5080300) 72 535TL (V5080300) 65	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030670) 59 5506 (V4030670) 59 5506 (V4030670) 59 5514T (V202051T) 14 5514 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518 (V116015T) 15 5519 (V116015T) 15 5519 (V116016T) 15 5522A (V2560111) 27 5523A (V2560270) 26 5524BK (V2560370) 26 5524BK (V2560370) 26 5524BK (V2560370) 26 5532A (V2560151) 27 5533A (V2560251) 26 5535BK (V2060380) 18 5536 (V2060380) 18 5536 (V2060580) 18 5537 (V2060350) 18 5539 (V2060580) 18 5539 (V2060590) 18 5539 (V2060580) 18 5539 (V2060580) 18 5539 (V2060580) 18 5539 (V2060580) 19 5540 (V2060950) 19 55540 (V2060950) 19 55540 (V2060950) 19 55551 (V2550110) 24 55551 (V2550110) 24 55551 (V2550110) 24	\$895BK (V3520270) 33 \$895 (V3520270) 33 \$895 (V3520260) 32 \$897 (V3520360) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$899 (V3520460) 8 \$992 (V1050150) 8 \$993 (V1050260) 8 \$9994 (V1050360) 16 \$6999 (V1070260) 17 \$999P (V1070260) 17 \$6000 (V1070460) 16 \$6001 (V1070460) 16 \$6001 (V1070460) 17 \$6000 (V1070460) 17 \$6000 (V1070460) 17 \$6000 (V1070460) 17 \$6001 (V1070350) 17 \$6001 (V1070350) 17 \$6003 (V1070380) 17 \$6003 (V1070380) 17 \$6003 (V1070380) 17 \$603P (V1070380) 17 \$603P (V1070380) 16 \$615T (V203018T) 14 \$6615 (V203018T) 14 \$6617 (V203011T) 14 \$6617 (V203011T) 14 \$6617 (V203011T) 14 \$6619 (V1160250) 15 \$6619BK (V1160270) 15 \$6619BK (V1160270) 15 \$6619BK (V1160270) 15 \$6632PT (V5082100) 17 \$6692 (V1010150) 4 \$6693 (V1010140) 4 \$6696 (V1010340) 4 \$6696 (V1010350) 4 \$6697 (V1010350) 4	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RG-21000 37 RK3-25 37 RK3-25 37 RK4-50 37 RK4-50 37 SA-1000-X 35 SA-1000-X 35 SA-1002-X 35 SA-1042-X 35 SA-3200-X 35 SR-3300-S 36 SA-3200-X 35 SA-3200-X 35 SR-3300-S 36 SA-3200-X 35 SR-3300-S 36 SA-3200-X 35 SR-3300-S 36 SR-33303-BRT 38 RR-Chain 38 V6041000 76 VL-1110-X 36 Z4WRNW (V6040100) 76
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580380) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 3395F (V2570450) 29 3405F (V2580550) 29 3405F (V2580550) 29 3405F (V2580570) 77 355 (V7030200) 77 360 (V7030400) 77 360 (V7030400) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080391) 54 415B (V3080391) 54 55 (V5060940) 69 512 (V2020380) 69 504 (V5060940) 69 512 (V2020387) 14 515 (V2020380) 14 520 (V2060170) 19 523 (V2561110) 27 525 (V5060100) 69 530B (V5060100) 69 530B (V5060100) 69 531W (V5020200) 69 5331W (V5020200) 69 5351LR (V5080100) 72 535 (V5060200) 69 5351LR (V5080300) 72 535TL (V5080300) 72 535TL (V5080300) 72 535TL (V5080300) 72 535G (V5020300) 65 536HVO (V5020500) 65 536HVO (V5020500) 65	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030570) 59 5506 (V4030670) 59 5514 (V2020517) 14 5514 (V2020517) 14 5516 (V2020580) 14 5518 (V1160157) 15 5518 (V1160157) 15 5518 (V1160157) 15 5519 (V1160167) 15 5519 (V1160160) 15 5524 (V2560111) 27 5523A (V2560111) 26 55248 (V2560170) 26 5534 (V2560151) 26 55358 (V2060370) 18 5536 (V2060380) 18 5536 (V2060380) 18 5536 (V2060350) 18 5539 (V2060350) 18 5539 (V2060350) 18 5539 (V2060950) 19 5530 (V2060950) 19 5530 (V2060950) 19 5531 (V2560251) 24 5555 (V25202551) 24 5555 (V25202551) 24	\$895BK (V3520270) 33 \$895 (V3520270) 33 \$895 (V3520260) 32 \$897 (V3520360) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$5992 (V1050150) 8 \$5993 (V1050260) 8 \$5994 (V1050350) 8 \$5997 (V1050360) 17 \$600 (V1070460) 16 \$601J (V1070260) 17 \$6000 (V1070460) 16 \$601J (V1070350) 17 \$6001 (V1070350) 17 \$6001 (V1070350) 17 \$6001 (V1070350) 17 \$6003 (V1070450) 16 \$6003 (V1070480) 16 \$6003 (V1070480) 16 \$6003 (V1070480) 17 \$6008 (V1070480) 17 \$6008 (V1070380) 17 \$6009 (V1070380) 17 \$6009 (V1070380) 17 \$6001 (V1070180) 16 \$6015 (V2030180) 14 \$6617 (V2030110) 14 \$6618 (V1160250) 15 \$6619 (V1160250) 15 \$6632PT (V5082100) 71 \$6692 (V1010150) 4 \$6693 (V1010340) 4 \$6697 (V1010340) 4 \$6697 (V1010350) 4 \$6699 (V1020350) 6 \$6699 (V1020350) 6	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 RP-305 (V4800410) 63 RP-301 36 RB-9800 36 RG-11010 36 RG-21000 36 RG-21000 36 RK3-25. 37 RK4-25. 37 RK4-25. 37 RK4-25. 37 RK4-25. 37 SA-1000-X 35 SA-1000-X 35 SA-1042-X 35 SA-1042-X 35 SA-3200-X 3
333BK (V2580370) 29 333 (V2580310) 29 333 (V2580310) 29 335 (V2570170) 28 3375F (V2570470) 28 3375F (V2570470) 28 33795F (V2570470) 29 3405F (V2580550) 29 3405F (V2580550) 29 3405F (V2580550) 77 355 (V7030200) 77 356 (V7030200) 77 360 (V7030400) 77 390 (V7030900) 77 400 (V3080290) 54 415A (V3080391) 54 415B (V3080392) 54,55 418 (V3080570) 54 420 (V3080570) 54 421 (V3080570) 54 502 (V5060920) 59 512 (V2020180) 19 515T (V5000100) 69 530B (V5080100) 71 531 (V5020100) 65 531W (V5020200) 65 531K (V5080200) 72 535TL (V5080300) 72 535TL (V5080300) 72 535TL (V5080300) 72 535TL (V5080300) 65	655 (V5081600)	5503 (V4030370) 59 5504 (V4030470) 59 5505 (V4030670) 59 5506 (V4030670) 59 5506 (V4030670) 59 5514T (V202051T) 14 5514 (V202058T) 14 5516 (V202058T) 14 5516 (V202058T) 14 5518 (V116015T) 15 5519 (V116015T) 15 5519 (V116016T) 15 5522A (V2560111) 27 5523A (V2560270) 26 5524BK (V2560370) 26 5524BK (V2560370) 26 5524BK (V2560370) 26 5532A (V2560151) 27 5533A (V2560251) 26 5535BK (V2060380) 18 5536 (V2060380) 18 5536 (V2060580) 18 5537 (V2060350) 18 5539 (V2060580) 18 5539 (V2060590) 18 5539 (V2060580) 18 5539 (V2060580) 18 5539 (V2060580) 18 5539 (V2060580) 19 5540 (V2060950) 19 55540 (V2060950) 19 55540 (V2060950) 19 55551 (V2550110) 24 55551 (V2550110) 24 55551 (V2550110) 24	\$895BK (V3520270) 33 \$895 (V3520270) 33 \$895 (V3520260) 32 \$897 (V3520360) 32 \$897 (V3520360) 32 \$898 (V3520450) 33 \$899 (V3520460) 33 \$899 (V3520460) 8 \$992 (V1050150) 8 \$993 (V1050260) 8 \$9994 (V1050360) 16 \$6999 (V1070260) 17 \$999P (V1070260) 17 \$6000 (V1070460) 16 \$6001 (V1070460) 16 \$6001 (V1070460) 17 \$6000 (V1070460) 17 \$6000 (V1070460) 17 \$6000 (V1070460) 17 \$6001 (V1070350) 17 \$6001 (V1070350) 17 \$6003 (V1070380) 17 \$6003 (V1070380) 17 \$6003 (V1070380) 17 \$603P (V1070380) 17 \$603P (V1070380) 16 \$615T (V203018T) 14 \$6615 (V203018T) 14 \$6617 (V203011T) 14 \$6617 (V203011T) 14 \$6617 (V203011T) 14 \$6619 (V1160250) 15 \$6619BK (V1160270) 15 \$6619BK (V1160270) 15 \$6619BK (V1160270) 15 \$6632PT (V5082100) 17 \$6692 (V1010150) 4 \$6693 (V1010140) 4 \$6696 (V1010340) 4 \$6696 (V1010350) 4 \$6697 (V1010350) 4	7700 (V2540180)	FBH-60120B 34 MW-65G 38 P305 (V4800410) 63 P411 (V4800510) 63 RB-9701 36 RB-9800 36 RG-11010 36 RG-21000 36 RG-21000 37 RK3-25 37 RK3-25 37 RK4-50 37 RK4-50 37 SA-1000-X 35 SA-1000-X 35 SA-1002-X 35 SA-1042-X 35 SA-3200-X 35 SR-3300-S 36 SA-3200-X 35 SA-3200-X 35 SR-3300-S 36 SA-3200-X 35 SR-3300-S 36 SA-3200-X 35 SR-3300-S 36 SR-33303-BRT 38 RR-Chain 38 V6041000 76 VL-1110-X 36 Z4WRNW (V6040100) 76

Our team is proud to be supplying Pioneer products to growing numbers of Canadians from Coast to Coast to Coast.

Our products are available from a broad distribution network throughout Canada. We support this network with our own system of warehouses in Vancouver, Edmonton, Winnipeg, Toronto, Montréal and Halifax. This distribution network ensures fast deliveries and superior service to our customers.

Date of publication May, 2014 Prod. No. **V680030E**



Western Canada & Territories (Vancouver Customer Service Centre)

Toll Free Tel.: 1-800-472-7685 Sales Tel.: 604-523-7600 Toll Free Fax: 1-800-663-7742 Sales Fax: 604-523-7693

Head Office (Vancouver)

Tel.: 604-523-TOOL (8665) Fax: 604-526-JET1 (5381)



Ontario & Quebec

(Toronto Customer Service Centre)

Toll Free Tel.: 1-800-387-3879 Sales Tel.: 905-565-8661
Tél sans frais : 1-800-363-2885 Sales Fax: 905-565-7266
Toll Free Fax: 1-800-267-3310

1011 FIEE Fax. 1-000-207-3

Atlantic Canada

Toll Free Tel.: 1-800-472-7686 Sales Tel.: 902-468-8324 Toll Free Fax: 1-877-468-3461 Sales Fax: 902-468-3461



JET GROUP



Since 1887, Pioneer has remained based in Vancouver, designing and developing products that thrive in the cold, rugged, mountainous and rainy environments of British Columbia, the Yukon and Alaska. The JET Group and Pioneer have since grown to become the largest supplier of safety gear and outerwear to Canadians in every Province and Territory from Coast to Coast to Coast.







2014 / 2015



PROFESSIONAL PRODUCTS. PROFESSIONAL RESULTS.

JET GROUP

Contact your nearest distributor for complete information on our product lines.

www.jetgroupbrands.com



FSC Placeholder

V680030E \$4.95